

Xeon 5 Power White LED

OSXXXDE5E1E

VER C.0

■ Features


- Highest Luminous Flux
- Super Energy Efficiency
- Long Lifetime Operation
- Superior ESD protection
- Superior UV Resistance

■ Applications


- Read lights (car, bus, aircraft)
- Portable (flashlight, bicycle)
- Bollards / Security / Garden
- Traffic signaling / Beacons
- In door / Out door Commercial lights
- Automotive Ext

■ Absolute Maximum Rating (Ta=25)

Item	Symbol	Value	Unit	
Item	Symbol	White/ Warm white		
DC Forward Current	I_{F}	1600	mA	
Pulse Forward Current*	I_{FP}	2000	mA	
Reverse Voltage	V_R	10	V	
Power Dissipation	P_{D}	6400	mW	
Operating Temperature	Topr	- 30 ∼ +85		
Storage Temperature	Tstg	-40 ~ +100		
Lead Soldering Temperature	Tsol	260 /5sec		



■Directivity



■ Electrical -Optical Characteristics (Ta=25)

Part Number Color			$V_{F}(V)$		$I_R(\mu A)$	CCT	Luminous Flux		λD(nm)		2θ1/2			
			Per Segment or (Dp)			(K)	v (lm)					(deg)		
		Min.	Тур.	Тур.	Max.	Тур	Min.	Тур.	Max.	Min.	Тур.	Max.		
			I _F =1400mA		$V_R=10V$	I _F =1400mA								
OSW4XDE5E1E	Pure White	W4	3.3	3.5	4.0	10	6500	300	320	-	X=0.31 ,Y=0.33		0.33	140
OSM5XDE5E1E	Warm White	M5	3.3	3.5	4.0	10	3000	280	300	-	X=0.45,Y=0.41		140	

Note: Don't drive at rated current more than 5s without heat sink for Xeon 3 emitter series.

LED & Application Technologies











http://www.optosupply.com VER A.0

^{*}Pulse width Max.10ms Duty ratio max 1/10



Xeon	5	Power	White	LED

OSXXXDE5E1E

VER C.0

■ Handling of Silicone Lens LEDs

Notes for handling of silicone lens LEDs

- Please do not use a force of over 3kgf impact or pressure on the silicone lens, otherwise it will cause a catastrophic failure.
- The LEDs should only be picked up by making contact with the sides of the LED body.
- Avoid touching the silicone lens especially by sharp tools such as Tweezers.
- Avoid leaving fingerprints on the silicone lens.
- Please store the LEDs away from dusty areas or seal the product against dust.
- When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the silicone lens must be prevented.
- Please do not mold over the silicone lens with another resin. (epoxy, urethane, etc)



