

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0850130048](#)
Status: **Active**
Overview: [din_41612](#)
Description: 2.54mm (.100") Pitch DIN 41612 Header, Through Hole, Vertical, Style R Reverse, 0.6µm (24µ") Selective Gold (Au), 96 Circuits, Lead free

Documents:
[3D Model](#) [Product Specification PS-85013-0001 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR19980
UL E29179

General


Product Family Backplane Connectors
Series [85013](#)
Application Backplane
Component Type PCB Header
Overview [din_41612](#)
Product Name IEC 603-2/DIN 41612
Style R

Physical

Circuits (Loaded) 96
Circuits (maximum) 96
Circuits Detail Rows A, B, & C
Durability (mating cycles max) 400
First Mate / Last Break No
Flammability 94V-0
Guide to Mating Part No
Keying to Mating Part Yes
Number of Columns 32
Number of Pairs Open Pin Field
Number of Rows 3
Orientation Vertical
PC Tail Length (in) 0.114 In
PC Tail Length (mm) 2.90 mm
PCB Locator No
PCB Retention Yes
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.60 mm
Packaging Type Tray
Pitch - Mating Interface (in) 0.100 In
Pitch - Mating Interface (mm) 2.54 mm
Pitch - Term. Interface (in) 0.100 In
Pitch - Term. Interface (mm) 2.54 mm
Plating min: Mating (µin) 24
Plating min: Mating (µm) 0.6
Surface Mount Compatible (SMC) No
Temperature Range - Operating -55°C to +125°C

Electrical

Current - Maximum per Contact 1A
Data Rate 622.0 Mbps
Voltage - Maximum 1000V (RMS)



EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
[85013Series](#)

Mates With
[85042](#) DIN 41612 Receptacle . [85052](#) DIN
41612 Header

Material Info


Old Part Number 96P-6043-072V-V

Reference - Drawing Numbers

Product Specification PS-85013-0001
Sales Drawing SD-85013-0048, SDA-85013-0001, SDA-85013-0048

This document was generated on 05/17/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32


A = 96 STANDARD CONTACTS L = 2.9

MARKING	STANDARD
PERFORMANCE LEVEL	G2/0 = CONTACT AREA LEVEL2 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85013-0001 SHT 1


A	G2/0	a1-32 b1-32 c1-32
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. I 2004-XXXX DRAWN N.S. 31/03/04 CHKd G.L. 31/03/04 APPRd G.L. 31/03/04		QUALITY SYMBOLS MAJOR CRITICAL	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	DIMENSIONS:			SHT	REV		
						 		 		mm ONLY	mm ONLY	mm ONLY		
B	REV	DESCRIPTION	mm INCH		DRAWN BY & DATE N.S. 23/04/01		TITLE: 96 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE R CONTACTS ARRANGEMENT							
			4 PLACES $\pm 0.$ $\pm .$		CHECKED BY & DATE G.L. 23/04/01									
			3 PLACES $\pm 0.$ $\pm .$		APPROVED BY & DATE G.L. 23/04/01									
			2 PLACES $\pm 0.$ $\pm .$		MOLEX		MOLEX INCORPORATED							
			1 PLACE $\pm 0.$ $\pm .$		ANGULAR $\pm$		CAD FILENAME S850130048.S01		MATERIAL NO. 85013-0048		DRAWING NO. SD-85013-0048		SHEET NO. 1 OF 1	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		SIZE D							







Section A - B
5:1



View X
5:1



View W
5:1



FIRST ANGLE PROJECTION

REVISE ONLY ON CAD SYSTEM

SH. REV.

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR $\pm 2^\circ$

	INCH	METRIC
3 PLACE	$\pm .$	$\pm$
2 PLACE	$\pm .$	$\pm$
1 PLACE	$\pm .$	$\pm$

DRAFT WHERE APPLICABLE MUST
REMAIN WITHIN DIMENSIONS

DESIGN DIMENSION ☒ MM
☐ IN.

EQUIVALENT DIMENSION ☐ MM
☐ IN.

IF TWO DIMENSIONS ARE SHOWN THE UPPER IS
THE DESIGN DIMENSION, LOWER IS SECONDARY

DRWG
BY

SIGN

Ca

CHK'D
BY

SIGN

KN

APP'D
BY

SIGN

SCALE

1:1

CAD/CAM PROJECT NAME

85013000
611

TITLE

96 pos. Male connector

acc. DIN 41612 Style R

Dimensions

MOLEX EUROPE

SHEET NO. DATE

1 OF 95/06/07

PART NO.

SDA-85013-0001

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO
MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SIZE

B

SIZE

SIZE

SIZE

SIZE

SIZE

SIZE

SIZE

SIZE

[illegible][illegible][illegible][illegible][illegible][illegible][illegible]