







PRODUCT NO.
SEE TABLE




SECTION A-A



mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com
ltr	ecn no	dr	date				
AE	N10-0009	SH	01/13/10	linear	.XX ±.01/.X±.3	projection	title
W	T90350	TC	2/22/00		.xxx ±.005/.xx±.13		
X	S00022	BCL	6/26/00	angles	0° ±2°	MM/INCH	product family
Y	N00059	MC	5/25/00	dr	JANET 2/22/00		
AA	N00186	MC	2/19/00	enr	M.CHENG 12/19/00	scale	size
AB	N05-0022	MHT	2/18/05	chr	M.CHENG 12/19/00		
AC	M05-0067	MHT	4/8/05	appd	M.CHENG 12/19/00	3.5/1	A
sheet index	revision	AE	AE	AE			
	sheet	1	2	3			



product family		code	
MODJACK		-	
size		dwg no	
69255		-	
sheet		1 of 3	

PRODUCT NO. ④	DIM. A	DIM. B	DIM. C	STYLE	POSITIONS LOADED	CONTACT PLATING ⑪	NOTES
69255-X01YLF	-	-	15.62/.615	UNKEYED	ALL	GXT	-
-X02YLF	1,25 / .050	2,69 / .106	15.62/.615	KEYED	ALL	GXT	-
-X03YLF	-	-	15.62/.615	UNKEYED	2,3,4,5,6,7	GXT	-
-X04YLF	-	-	15.62/.615	UNKEYED	ALL	0,76um / 30u" Au	-
-X05YLF	-	-	15.62/.615	UNKEYED	ALL	1,27um / 50u" Au	-
-X06YLF	1,25 / .050	2,69 / .106	15.62/.615	KEYED	ALL	1,27um / 50u" Au	-
-X07YLF	-	-	15.62/.615	UNKEYED	ALL	GXT	NOTE 1
-X08YLF	-	-	15.62/.615	UNKEYED	3,4,5,6	GXT	-
-X09YLF	-	-	15.62/.615	UNKEYED	ALL	GXT	NOTE 6
-X10YLF	-	-	13.62/.536	UNKEYED	ALL	GXT	NOTE 6




NOTES :

- ① SPECIAL PACKAGING.
- 2 GXT IS 0,76um / 30u" MIN GXT WITH Au FLASH OVER
1,27um / 50u" MIN Ni.
- ③ SOLDER TAIL LENGTH :
X = 0 [3,18 ±0,51 / .125 ±.020]
X = 1 [8,13 ±0,51 / .320 ±.020]
X = 2 [5,30 ±0,51 / .208 ±.020]
X = 3 [3,70 ±0,51 / .145 ±.020]
[FOR X = 1 TO 2 , WIRE TRUE POSITION IS NOT APPLICABLE.]
PACKAGING SPEC. IS GES-14-428
- ④ COLOR OF HOUSING :
Y = NIL (BLACK HOUSING)
Y = W (WHITE, RAL1013 HOUSING)
Y = G (GRAY, HOUSING)
- ⑤ SPECIAL REQUIREMENT :
SEE DETAIL C FOR P/N 69255-001B
FOR FEATURE DETAILS.
- ⑥ NO PANEL STOPS ON -X09Y AND -X10Y.
- ⑦ THIS PIN NUMBERING OPPOSITE TO
FCC, PART 68, SUB-PART F REQUIREMENTS
- ⑧ PART NUMBERS WITH LF IN THE END ARE LEAD FREE.
- 9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AN OTHER COUNTRY
REGULATION AS DESCRIBED IN GS-22-008.
- 10 THE HOUSING TEMPERATURE WITHSTAND EXPOSURE TO 260°C PEAK
TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A
1.5 MM MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES
IF THEY ARE AVAILABLE.
- ⑪ PLATING OPTION:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.



KEYED STYLE

SECTION B-B



DETAIL C
(OPTIONAL DESIGN)

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI	
ltr	ecn no	dr	date	linear	.XX ±.01/.X±.3	projection	title	www.fciconnect.com	
AE					.XXX ±.005/.XX±.13		8 POS VERTICAL		
					.XXXX ±.0020/.XXX±.051		P.C.B. MOD JACK ASSY		
				angles	0° ±2°		product family	code	
				dr	JANET 2/22/00	MM/INCH	MODJACK		
				enr	M.CHENG 12/19/00		size	dwg no	
				chr	M.CHENG 12/19/00	scale			
				appd	M.CHENG 12/19/00	3.5/1			
sheet index	revision	sheet							



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

1 | 2

3

4

PRODUCT NO. ④	DIM. A	DIM. B	DIM. C	STYLE	POSITIONS LOADED	CONTACT PLATING ①	NOTES
69255-X01YHLF	-	-	15.62/.615	UNKEYED	ALL	GXT	-
-X02YHLF	1,25 /,050	2,69 /,106	15.62/.615	KEYED	ALL	GXT	-
-X03YHLF	-	-	15.62/.615	UNKEYED	2,3,4,5,6,7	GXT	-
-X04YHLF	-	-	15.62/.615	UNKEYED	ALL	0,76um /30u" Au	-
-X05YHLF	-	-	15.62/.615	UNKEYED	ALL	1,27um /50u" Au	-
-X06YHLF	1,25 /,050	2,69 /,106	15.62/.615	KEYED	ALL	1,27um /50u" Au	-
-X07YHLF	-	-	15.62/.615	UNKEYED	ALL	GXT	NOTE 1
-X08YHLF	-	-	15.62/.615	UNKEYED	3,4,5,6	GXT	-
-X09YHLF	-	-	15.62/.615	UNKEYED	ALL	GXT	NOTE 6
-X10YHLF	-	-	13.62/.536	UNKEYED	ALL	GXT	NOTE 6


MEETS PIP PROCESS PRODUCT NO.

A

A

B

B

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.XX ±.01/.X±.3				
AE					.XXX ±.005/.XX±.13	projection			
					.XXXX ±.0020/.XXX±.051				
				angles	0° ±2°	MM/INCH	product family MODJACK		
				dr	JANET 2/22/00				
				enr	M.CHENG 12/19/00	scale	size dwg no		
				chr	M.CHENG 12/19/00				
				appd	M.CHENG 12/19/00	3.5/1	A 69255		
sheet index	revision	sheet							
							cage code		

1 | 2

PDM: Rev:AE³

STATUS: Released 22026 Printed: Feb 24, 2010

ACAD