

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0444751011](#)
Status: **Active**
Description: 4.20mm (.165") Pitch Mini-Fit, HCS™ Receptacle Header, Dual Row, Vertical, Blind Mating, with Snap-in Plastic Pegs, 10 Circuits

Documents:

[3D Model](#) [Product Specification PS-44476-001 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR19980
UL E29179

General

Product Family PCB Receptacles
Series [44475](#)
Application Board-to-Board, Wire-to-Board
Comments Solder Type|With Pegs
Product Name Mini-Fit HCS™

Physical


Circuits (Loaded) 10
Color - Resin Natural
Durability (mating cycles max) 30
Flammability 94V-2
Glow-Wire Compliant No
Material - Metal Copper
Material - Plating Mating Tin
Material - Plating Termination Tin
Material - Resin Nylon
Number of Rows 2
Orientation Vertical
PCB Locator Yes
PCB Retention Yes
PCB Thickness Recommended (in) 0.070 In
PCB Thickness Recommended (mm) 1.80 mm
Packaging Type Tray
Pitch - Mating Interface (in) 0.165 In
Pitch - Mating Interface (mm) 4.20 mm
Plating min: Mating (µin) 100
Plating min: Mating (µm) 2.50
Plating min: Termination (µin) 100
Plating min: Termination (µm) 2.50
Polarized to PCB Yes
Surface Mount Compatible (SMC) No
Temperature Range - Operating -40°C to +105°C
Termination Interface: Style Through Hole

Electrical

Current - Maximum per Contact 11A
Voltage - Maximum 600V

Solder Process Data

Duration at Max. Process Temperature (seconds) 5
Lead-free Process Capability Wave Capable (TH only)
Max. Cycles at Max. Process Temperature 1
Process Temperature max. C 240



Series
image - Reference only

EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Contains SVHC: No
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

[44475Series](#)

Mates With

[44068](#) , [42404](#) , [44474](#) , [43810](#) , [42475](#)

Material Info

Old Part Number A-44475-1011


Reference - Drawing Numbers

Product Specification PS-44476-001, RPS-44476-001

Sales Drawing SDA-44475-****

This document was generated on 04/09/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



13

12

11

10

9

8

7

6


5

4




3

2

1



ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)



SEE NOTE 15

SEE SHEET 1 EC NO: UCP2006-2258 DRWN: ADRIANOL 2006/04/11 CHKD: GPOLGAR 2006/04/11 APPR: JCOMERCIAL 2006/04/12 REV: C1	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY	DATE	VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES		
			4 PLACES ± ---	± ---	GEP	1994/08/10			
			3 PLACES ± ---	± .015	CHECKED BY	DATE			
			2 PLACES ± 0.38	± ---	RJF	1994/08/10	MOLEX MOLEX INCORPORATED		
			1 PLACE ± ---	± ---	APPROVED BY	DATE			
			ANGULAR ±1/2°		RJF	1994/08/10			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
					SEE SHEET 3		SDA-44475-****		2 OF 3
					SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

12

11

10

9

8

7

6

5

4

3

2

1

	13				12				11				10				9				8				7				6				44475				4				3				2				1																																																																																																																																																																																																																																																																																																																																																																																													
J	ITEM NUMBER				CKT. SIZE				HOUSING MATERIAL				PLATING (SEE NOTE 2)				ITEM NUMBER				CKT. SIZE				HOUSING MATERIAL				PLATING (SEE NOTE 2)																																																																																																																																																																																																																																																																																																																																																																																																																	
	X	44475-0211				2				94V-2				1				X	44475-0222				2				94V-0				2																																																																																																																																																																																																																																																																																																																																																																																																															
		↑ -0411				4				↑				↑				X	↑ -0422				4				↑				↑																																																																																																																																																																																																																																																																																																																																																																																																															
		-0611				6												X	-0622				6																																																																																																																																																																																																																																																																																																																																																																																																																							
I	X	-0811				8												X	-0822				8																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1011				10												X	-1022				10																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	-1211				12												X	-1222				12																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1411				14												X	-1422				14																																																																																																																																																																																																																																																																																																																																																																																																																							
H	X	-1611				16												X	-1622				16																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1811				18													-1822				18																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	-2011				20												X	-2022				20																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	↓ -2211				22				↓				↓				X	↓ -2222				22				↓				↓																																																																																																																																																																																																																																																																																																																																																																																																															
G		44475-2411				24				94V-2				1				X	44475-2422				24				94V-0				2																																																																																																																																																																																																																																																																																																																																																																																																															
	X	44475-0221				2				94V-0				1					↑ -0421				4				↑				↑																																																																																																																																																																																																																																																																																																																																																																																																															
		-0621				6																																																																																																																																																																																																																																																																																																																																																																																																																																								
F	X	-0821				8													-0821				8																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1021				10													-1021				10																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	-1221				12													-1221				12																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1421				14													-1421				14																																																																																																																																																																																																																																																																																																																																																																																																																							
E		-1621				16													-1621				16																																																																																																																																																																																																																																																																																																																																																																																																																							
		-1821				18													-1821				18																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	-2021				20													-2021				20																																																																																																																																																																																																																																																																																																																																																																																																																							
	X	↓ -2221				22				↓				↓					↓ -2221				22				↓				↓																																																																																																																																																																																																																																																																																																																																																																																																															
D		44475-2421				24				94V-0				1																																																																																																																																																																																																																																																																																																																																																																																																																																
C	ITEM. NO.				CKT. SIZE				HSG. MAT'L.				TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																																																																																																																																																																																																																																																																																																																																																																																																																																	
	44475-3000				24				94V-0				A	A	-	A	-	A	-	A	-	A	-	A	-	A	A	A	A	A	-	A	-	A	-	A	-	A	A	A																																																																																																																																																																																																																																																																																																																																																																																																						
B																																																																																																																																																																																																																																																																																																																																																																																																																																														
A	ITEMS PRECEDED BY "X" ARE NOT AVAILABLE.																																																																																																																																																																																																																																																																																																																																																																																																																																													</