

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1044408041

Status:

Active

Description:

2.00mm (.079") Pitch Crimp Terminal, Female, 24-30 AWG, Reel




image - Reference only

Series

Documents:

Drawing (PDF)

Product Specification PS-104440-001 (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	Crimp Terminals
Series	104440
Crimp Quality Equipment	Yes
Product Name	N/A
Physical	
Durability (mating cycles max)	30
Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.45mm (.057") max.
Wire Size AWG	24, 26, 28, 30
Wire Size mm²	N/A

Electrical	
Current - Maximum per Contact	2A
Voltage - Maximum	600V

Material Info

Reference - Drawing Numbers	
Product Specification	PS-104440-001
Sales Drawing	SD-104440-001

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
104440Series

Mates With
87369 2.00mm (.079") Pitch Crimp Housing .
35507 Sherlock™ Wire-to-Board Housing

Application Tooling | FAQ
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.






Global	
Description	Product #
FineAdjust™ Applicator for 2.00mm (.079") Wire-to-Board Terminals, 24-30 AWG	0639012000

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION


10 9 8 7 6 5 4 3 2 1

NOTES.

1. MATERIAL : PHOSPHOR BRONZE
2. FINISH : TIN PLATED.
3. MATED PART : 87369-***0*, 35507-***0*
4. PRODUCT SPECIFICATION : PS-104440-001
5. PACKAGING SPECIFICATION : PK-104440-001



SECT. A-A



SECT. B-B

TABLE

104440-8041	1044408041
Eng.No	Order No.

NEW RELEASED EC NO: KOR2009-0031 DRWN:SKHAN01 CHKD-WY YANG APPR:YUNSIKKIM 2008/09/23 2008/09/23 2008/09/23	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY SK. HAN		DATE 2008/09/17	
		4 PLACES	± ---	± ---		CHECKED BY WY. YANG		DATE 2008/09/17	
		3 PLACES	± ---	± ---		APPROVED BY EH. JUNG		DATE 2008/09/17	
A	REV	2 PLACES	± 0.3	± ---		MATERIAL NO.		SEE TABLE	
		1 PLACE	± 0.3	± ---		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		MOLEX INCORPORATED	
		ANGULAR ± 1 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DOCUMENT NO.		SD-104440-001	
		SIZE A3		SHEET NO.		1 OF 01		2.0MM REC'S TERMINAL FOR 1.45 OD CABLE	