

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0879110611](#)
Status: **Active**
Overview: [cgrid_sl_products](#)
Description: 2.54mm (.100") Pitch C-Grid® Header, Right Angle, Through Hole, 6 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Tube Packaging, Lead-free

Documents:
[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Drawing \(PDF\)](#)

Agency Certification


UL E29179

General

Product Family PCB Headers
Series [87911](#)
Application Board-to-Board, Wire-to-Board
Overview [cgrid_sl_products](#)
Product Name C-Grid®

Physical

Breakaway Yes
Circuits (Loaded) 6
Circuits (maximum) 6
Color - Resin Black
First Mate / Last Break No
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part None
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin High Temperature Thermoplastic
Number of Rows 2
Orientation Right Angle
PC Tail Length (in) 0.125 In
PC Tail Length (mm) 3.18 mm
PCB Locator No
PCB Retention None
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.60 mm
Packaging Type Tube
Pitch - Mating Interface (in) 0.100 In
Pitch - Mating Interface (mm) 2.54 mm
Pitch - Term. Interface (in) 0.100 In
Pitch - Term. Interface (mm) 2.54 mm
Plating min: Mating (µin) 15
Plating min: Mating (µm) 0.38
Polarized to Mating Part No
Polarized to PCB No
Shrouded No
Stackable No
Surface Mount Compatible (SMC) Yes
Temperature Range - Operating -55°C to +105°C



Series

image - Reference only

EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**
Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
[87911Series](#)

Mates With
[7859 Shunts](#). [C-Grid®](#) PCB Receptacles like
[71850](#). [SL™](#) IDT Housing like [70450](#)

Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	3A
Voltage - Maximum	250V
Material Info	
Reference - Drawing Numbers	
Sales Drawing	SD-87911-027

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

10 9 8 7 6 5 4 3 2 1

F






E

D

C

B

A



NOTE:

1. MATERIAL:

HOUSING: - LCP, GLASS FILLED, UL94V-0
COLOR: BLACK
TERMINAL: - COPPER ALLOY, 0.64MM SQ

2. PLATING TYPE:

- 1) 15µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 2) 30µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 3) 100µin MIN. TIN OVERALL. 50µin MIN. NICKEL OVERALL.

3. THE ABOVE 14 CKT SHOWN IS FOR ILLUSTRATION ONLY..

4. PIN PUSHOUT FORCE: 1KG MIN. IN EITHER DIRECTION

5. PART TO BE PACKED IN TUBE.

6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE

7. RECOMMENDED PCB THICKNESS = 1.60 ± 0.10mm

8. PRODUCT SPECIFICATION: PS-87920-019

9. PACKAGING SPECIFICATION: PK-89990-519

REVISED		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
EC NO: S2007-0544		▼=0		mm INCH		DRAWN BY DATE		TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE					
2006/12/13		▽=0		4 PLACES ± --- ± ---		YLQIAO 2005/01/17							
DRWN:SKLIM01				3 PLACES ± --- ± ---		CHECKED BY DATE							
2006/12/19				2 PLACES ± 0.2 ± ---		PTLIM 2005/01/25		MOLEX MOLEX INCORPORATED					
CHKD:CWLM				1 PLACE ± --- ± ---		APPROVED BY DATE							
APPR:KWLEE				ANGULAR ± 3 °		SLOW 2005/01/25							
2006/12/27				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
						SEE TABLE		SD-87911-027		1 OF 4			
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																				
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-0411</td><td>4</td><td>-----</td><td>1</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0412</td><td>4</td><td>-----</td><td>2</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0413</td><td>4</td><td>-----</td><td>3</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0611</td><td>6</td><td>-----</td><td>1</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0612</td><td>6</td><td>-----</td><td>2</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0613</td><td>6</td><td>-----</td><td>3</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0811</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0812</td><td>8</td><td>-----</td><td>2</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0813</td><td>8</td><td>-----</td><td>3</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0800</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>2.79</td><td>2.29</td></tr><tr><td>87911-1011</td><td>10</td><td>-----</td><td>1</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1012</td><td>10</td><td>-----</td><td>2</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1013</td><td>10</td><td>-----</td><td>3</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1211</td><td>12</td><td>-----</td><td>1</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1212</td><td>12</td><td>-----</td><td>2</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1213</td><td>12</td><td>-----</td><td>3</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1411</td><td>14</td><td>-----</td><td>1</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1412</td><td>14</td><td>-----</td><td>2</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1413</td><td>14</td><td>-----</td><td>3</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1611</td><td>16</td><td>-----</td><td>1</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1612</td><td>16</td><td>-----</td><td>2</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1613</td><td>16</td><td>-----</td><td>3</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>									PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27	87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27	87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27	87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27	87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27	87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27	87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27	87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27	87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27	87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29	87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27	87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27	87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27	87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27	87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27	87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27	87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27	87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27	87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27	87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27	87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27	87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27	F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																										
				A	B	M	P	E																																																																																																																																																																																																																						
87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29																																																																																																																																																																																																																						
87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
E										E																																																																																																																																																																																																																				
D										D																																																																																																																																																																																																																				
C										C																																																																																																																																																																																																																				
B										B																																																																																																																																																																																																																				
A	<table><tr><td rowspan="4">REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CLWAM APPR:KWLEE 2006/12/13 2006/12/19 2006/12/27</td><td rowspan="4">DESCRIPTION REV</td><td>QUALITY SYMBOLS ▽=0 ▽C=0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25</td><td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td><td rowspan="4">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>									REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CLWAM APPR:KWLEE 2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4																														A																																																																																																																																																																												
REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CLWAM APPR:KWLEE 2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4																																																																																																																																																																																																																		
tb_frame_A3_P_AM.T Rev. E 2006/04/15																																																																																																																																																																																																																														
	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																					

	10	9	8	7	6	5	4	3	2	1																																																																																																																																
F											F																																																																																																																															
E											E																																																																																																																															
D											D																																																																																																																															
C											C																																																																																																																															
B											B																																																																																																																															
A											A																																																																																																																															
<table><tr><td rowspan="2">REVISED</td><td rowspan="2">EC NO: S2007-0544</td><td rowspan="2">2006/12/13</td><td rowspan="2">DRWN:SKLIM01</td><td rowspan="2">2006/12/19</td><td rowspan="2">CHKD:CWLAM</td><td rowspan="2">2006/12/27</td><td rowspan="2">APPR:KWLEE</td><td rowspan="2">DESCRIPTION</td><td rowspan="2">REV</td><td colspan="2">QUALITY SYMBOLS</td></tr><tr><td>▽=0</td><td>▽C=0</td></tr><tr><td colspan="10" rowspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td rowspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">MM ONLY</td><td>NTS</td><td>METRIC</td></tr><tr><td colspan="10" rowspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">DRAWN BY</td><td>DATE</td><td colspan="2" rowspan="2">TITLE</td></tr><tr><td colspan="2">YLQIAO</td><td>2005/01/17</td></tr><tr><td colspan="10" rowspan="2"></td><td colspan="2">CHECKED BY</td><td>DATE</td><td colspan="2" rowspan="2">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE</td></tr><tr><td colspan="2">PTLIM</td><td>2005/01/25</td></tr><tr><td colspan="10" rowspan="2"></td><td colspan="2">APPROVED BY</td><td>DATE</td><td colspan="2" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">SCLOW</td><td>2005/01/25</td></tr><tr><td colspan="10" rowspan="2"></td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td colspan="2" rowspan="2">SHEET NO. 3 OF 4</td></tr><tr><td colspan="2">SEE TABLE</td><td>SD-87911-027</td></tr><tr><td colspan="10" rowspan="2"></td><td>SIZE</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>A3</td><td colspan="5"></td></tr></table>												REVISED	EC NO: S2007-0544	2006/12/13	DRWN:SKLIM01	2006/12/19	CHKD:CWLAM	2006/12/27	APPR:KWLEE	DESCRIPTION	REV	QUALITY SYMBOLS		▽=0	▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)										DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	MM ONLY		NTS	METRIC	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										DRAWN BY		DATE	TITLE		YLQIAO		2005/01/17											CHECKED BY		DATE	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE		PTLIM		2005/01/25											APPROVED BY		DATE	MOLEX INCORPORATED		SCLOW		2005/01/25											MATERIAL NO.		DOCUMENT NO.	SHEET NO. 3 OF 4		SEE TABLE		SD-87911-027											SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					A3					
REVISED	EC NO: S2007-0544	2006/12/13	DRWN:SKLIM01	2006/12/19	CHKD:CWLAM	2006/12/27	APPR:KWLEE	DESCRIPTION	REV	QUALITY SYMBOLS																																																																																																																																
										▽=0	▽C=0																																																																																																																															
GENERAL TOLERANCES (UNLESS SPECIFIED)										DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																																																																												
										MM ONLY		NTS	METRIC																																																																																																																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										DRAWN BY		DATE	TITLE																																																																																																																													
										YLQIAO		2005/01/17																																																																																																																														
										CHECKED BY		DATE	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE																																																																																																																													
										PTLIM		2005/01/25																																																																																																																														
										APPROVED BY		DATE	MOLEX INCORPORATED																																																																																																																													
										SCLOW		2005/01/25																																																																																																																														
										MATERIAL NO.		DOCUMENT NO.	SHEET NO. 3 OF 4																																																																																																																													
										SEE TABLE		SD-87911-027																																																																																																																														
										SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																															
										A3																																																																																																																																
	10	9	8	7	6	5	4	3	2	1																																																																																																																																

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																						
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-6011</td><td>60</td><td>-----</td><td>1</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6012</td><td>60</td><td>-----</td><td>2</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6013</td><td>60</td><td>-----</td><td>3</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6211</td><td>62</td><td>-----</td><td>1</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6212</td><td>62</td><td>-----</td><td>2</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6213</td><td>62</td><td>-----</td><td>3</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6411</td><td>64</td><td>-----</td><td>1</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6412</td><td>64</td><td>-----</td><td>2</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6413</td><td>64</td><td>-----</td><td>3</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6611</td><td>66</td><td>-----</td><td>1</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6612</td><td>66</td><td>-----</td><td>2</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6613</td><td>66</td><td>-----</td><td>3</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6811</td><td>68</td><td>-----</td><td>1</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6812</td><td>68</td><td>-----</td><td>2</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-6813</td><td>68</td><td>-----</td><td>3</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7011</td><td>70</td><td>-----</td><td>1</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7012</td><td>70</td><td>-----</td><td>2</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7013</td><td>70</td><td>-----</td><td>3</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7211</td><td>72</td><td>-----</td><td>1</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7212</td><td>72</td><td>-----</td><td>2</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7213</td><td>72</td><td>-----</td><td>3</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27			87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27			87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27			87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27			87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27			87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27			87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27			87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27			87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27			87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27			87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27			87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27			87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27			87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27			87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27			87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27			87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27			87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27			87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27			87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27			87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27			F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																												
				A	B	M	P	E																																																																																																																																																																																																																																																								
87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
E	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-7411</td><td>74</td><td>-----</td><td>1</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7412</td><td>74</td><td>-----</td><td>2</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7413</td><td>74</td><td>-----</td><td>3</td><td>93.98</td><td>91.44</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7611</td><td>76</td><td>-----</td><td>1</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7612</td><td>76</td><td>-----</td><td>2</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7613</td><td>76</td><td>-----</td><td>3</td><td>96.52</td><td>93.98</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7811</td><td>78</td><td>-----</td><td>1</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7812</td><td>78</td><td>-----</td><td>2</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-7813</td><td>78</td><td>-----</td><td>3</td><td>99.06</td><td>96.52</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-8011</td><td>80</td><td>-----</td><td>1</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-8012</td><td>80</td><td>-----</td><td>2</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr><tr><td>87911-8013</td><td>80</td><td>-----</td><td>3</td><td>101.60</td><td>99.06</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="2"></td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-7411	74	-----	1	93.98	91.44	6.10	3.18	2.27			87911-7412	74	-----	2	93.98	91.44	6.10	3.18	2.27			87911-7413	74	-----	3	93.98	91.44	6.10	3.18	2.27			87911-7611	76	-----	1	96.52	93.98	6.10	3.18	2.27			87911-7612	76	-----	2	96.52	93.98	6.10	3.18	2.27			87911-7613	76	-----	3	96.52	93.98	6.10	3.18	2.27			87911-7811	78	-----	1	99.06	96.52	6.10	3.18	2.27			87911-7812	78	-----	2	99.06	96.52	6.10	3.18	2.27			87911-7813	78	-----	3	99.06	96.52	6.10	3.18	2.27			87911-8011	80	-----	1	101.60	99.06	6.10	3.18	2.27			87911-8012	80	-----	2	101.60	99.06	6.10	3.18	2.27			87911-8013	80	-----	3	101.60	99.06	6.10	3.18	2.27			E																																																																																																			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																												
				A	B	M	P	E																																																																																																																																																																																																																																																								
87911-7411	74	-----	1	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7412	74	-----	2	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7413	74	-----	3	93.98	91.44	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7611	76	-----	1	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7612	76	-----	2	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7613	76	-----	3	96.52	93.98	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7811	78	-----	1	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7812	78	-----	2	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7813	78	-----	3	99.06	96.52	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-8011	80	-----	1	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-8012	80	-----	2	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-8013	80	-----	3	101.60	99.06	6.10	3.18	2.27																																																																																																																																																																																																																																																								
D											D																																																																																																																																																																																																																																																					
C											C																																																																																																																																																																																																																																																					
B											B																																																																																																																																																																																																																																																					
A	<table><tr><td rowspan="4">REVISED EC NO: S2007-0544 DRWNS:SKL IM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽C=0</td><td rowspan="4">DESCRIPTION REV</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="4"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>mm</td><td>INCH</td><td colspan="2">DRAWN BY YLQIAO</td><td colspan="2">DATE 2005/01/17</td><td rowspan="3">TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td colspan="2">CHECKED BY PTL IM</td><td colspan="2">DATE 2005/01/25</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td colspan="2">APPROVED BY SCLOW</td><td colspan="2">DATE 2005/01/25</td></tr><tr><td colspan="2"></td><td colspan="2">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO. 4 OF 4</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										REVISED EC NO: S2007-0544 DRWNS:SKL IM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27	QUALITY SYMBOLS ▽=0 ▽C=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	mm	INCH	DRAWN BY YLQIAO		DATE 2005/01/17		TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED	4 PLACES	± ---	± ---	CHECKED BY PTL IM		DATE 2005/01/25		3 PLACES	± ---	± ---	APPROVED BY SCLOW		DATE 2005/01/25				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 4 OF 4					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																																																																																																																																																																																																
REVISED EC NO: S2007-0544 DRWNS:SKL IM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27	QUALITY SYMBOLS ▽=0 ▽C=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																							
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	mm	INCH	DRAWN BY YLQIAO		DATE 2005/01/17		TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED																																																																																																																																																																																																																																																						
				4 PLACES	± ---	± ---	CHECKED BY PTL IM							DATE 2005/01/25																																																																																																																																																																																																																																																		
				3 PLACES	± ---	± ---	APPROVED BY SCLOW				DATE 2005/01/25																																																																																																																																																																																																																																																					
		ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 4 OF 4																																																																																																																																																																																																																																																								
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																										
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																						