

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0039300184

Status:

Active

Overview:

[minifit_jr](#)

Description:

4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating over Tin (Sn)

Documents:

[3D Model](#)

[Drawing \(PDF\)](#)

[Product Specification PS-5556-001 \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	PCB Headers
Series	5569
Application	Wire-to-Board
Comments	Current = 13A max. per circuit when header is mated to a receptacle loaded with 45750 Mini-Fit Plus HCS™ Crimp Terminal Crimped to to 16 AWG wire. . See Molex Product specification PS-5556-001 for additional current de-rating information.
Overview	minifit_jr
Product Name	Mini-Fit Jr.™

Physical

Breakaway	No
Circuits (Loaded)	18
Circuits (maximum)	18
Circuits Detail	18
Color - Resin	Natural
Durability (mating cycles max)	30
First Mate / Last Break	No
Flammability	94V-0
Glow-Wire Compliant	No
Guide to Mating Part	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Nylon
Number of Rows	2
Orientation	Right Angle
PC Tail Length (in)	0.142 In
PC Tail Length (mm)	3.60 mm
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness Recommended (in)	0.070 In
PCB Thickness Recommended (mm)	1.78 mm
Packaging Type	Bag
Pitch - Mating Interface (in)	0.165 In
Pitch - Mating Interface (mm)	4.20 mm




image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[5569Series](#)

Mates With
[5557](#) Mini-Fit Jr.™ Receptacle Housing

Pitch - Term. Interface (in)	0.165 In
Pitch - Term. Interface (mm)	4.20 mm
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Shrouded	Fully
Stackable	No
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	13A
Voltage - Maximum	600V
Material Info	
Old Part Number	5569-18A2GS-210
Reference - Drawing Numbers	
Packaging Specification	PK-5569-002
Product Specification	PS-5556-001
Sales Drawing	SDA-5569-NA2*-*
Test Summary	TS-5556-002

This document was generated on 05/21/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

BULK PACKAGED PER PK-5569-002											
PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L		
39-30-1020	5569-02A2	2	TIN OVER COPPER SEE NOTE 2 OPTION "BLANK"	94V-2	39-30-0020	5569-02A2-210	2	TIN OVER COPPER SEE NOTE 2 OPTION "BLANK"	94V-0		
39-30-1040	5569-04A2	4			39-30-0040	5569-04A2-210	4				
39-30-1060	5569-06A2	6			39-30-0060	5569-06A2-210	6				
39-30-1080	5569-08A2	8			39-30-0080	5569-08A2-210	8				
39-30-1100	5569-10A2	10			39-30-0100	5569-10A2-210	10				
39-30-1120	5569-12A2	12			39-30-0120	5569-12A2-210	12				
39-30-1140	5569-14A2	14			39-30-0140	5569-14A2-210	14				
39-30-1160	5569-16A2	16			39-30-0160	5569-16A2-210	16				
39-30-1180	5569-18A2	18			39-30-0180	5569-18A2-210	18				
39-30-1200	5569-20A2	20			39-30-0200	5569-20A2-210	20				
39-30-1220	5569-22A2	22			39-30-0220	5569-22A2-210	22				
39-30-1240	5569-24A2	24			39-30-0240	5569-24A2-210	24				
39-30-1021	5569-02A2G	2	30 μ" GOLD SEE NOTE 2 OPTION "G"	94V-2	39-30-1022	5569-02A2G-210	2	30 μ" GOLD SEE NOTE 2 OPTION "G"	94V-0		
39-30-1041	5569-04A2G	4			39-30-1042	5569-04A2G-210	4				
39-30-1061	5569-06A2G	6			39-30-1062	5569-06A2G-210	6				
39-30-1081	5569-08A2G	8			39-30-1082	5569-08A2G-210	8				
39-30-1101	5569-10A2G	10			39-30-1102	5569-10A2G-210	10				
39-30-1121	5569-12A2G	12			39-30-1122	5569-12A2G-210	12				
39-30-1141	5569-14A2G	14			39-30-1142	5569-14A2G-210	14				
39-30-1161	5569-16A2G	16			39-30-1162	5569-16A2G-210	16				
39-30-1181	5569-18A2G	18			39-30-1182	5569-18A2G-210	18				
39-30-1201	5569-20A2G	20			39-30-1202	5569-20A2G-210	20				
39-30-1221	5569-22A2G	22			39-30-1222	5569-22A2G-210	22				
39-30-1241	5569-24A2G	24			39-30-1242	5569-24A2G-210	24				
39-30-0021	5569-02A2G2	2	15 μ" GOLD SEE NOTE 2 OPTION "G2"	94V-2	39-30-0022	5569-02A2G2-210	2	15 μ" GOLD SEE NOTE 2 OPTION "G2"	94V-0		
39-30-0041	5569-04A2G2	4			39-30-0042	5569-04A2G2-210	4				
39-30-0061	5569-06A2G2	6			39-30-0062	5569-06A2G2-210	6				
39-30-0081	5569-08A2G2	8			39-30-0082	5569-08A2G2-210	8				
39-30-0101	5569-10A2G2	10			39-30-0102	5569-10A2G2-210	10				
39-30-0121	5569-12A2G2	12			39-30-0122	5569-12A2G2-210	12				
39-30-0141	5569-14A2G2	14			39-30-0142	5569-14A2G2-210	14				
39-30-0161	5569-16A2G2	16			39-30-0162	5569-16A2G2-210	16				
39-30-0181	5569-18A2G2	18			39-30-0182	5569-18A2G2-210	18				
39-30-0201	5569-20A2G2	20			39-30-0202	5569-20A2G2-210	20				
39-30-0221	5569-22A2G2	22			39-30-0222	5569-22A2G2-210	22				
39-30-0241	5569-24A2G2	24			39-30-0242	5569-24A2G2-210	24				
NOT TOOLED	5569-02A2G3	2	50 μ" GOLD SEE NOTE 2 OPTION "G3"	94V-2	NOT TOOLED	5569-02A2G3-210	2	50 μ" GOLD SEE NOTE 2 OPTION "G3"	94V-0		
15-27-1514	5569-04A2G3	4			NOT TOOLED	5569-04A2G3-210	4				
15-27-1511	5569-06A2G3	6			NOT TOOLED	5569-06A2G3-210	6				
15-27-1512	5569-08A2G3	8			NOT TOOLED	5569-08A2G3-210	8				
15-27-1503	5569-10A2G3	10			15-27-1504	5569-10A2G3-210	10				
NOT TOOLED	5569-12A2G3	12			NOT TOOLED	5569-12A2G3-210	12				
NOT TOOLED	5569-14A2G3	14			NOT TOOLED	5569-14A2G3-210	14				
15-27-1513	5569-16A2G3	16			NOT TOOLED	5569-16A2G3-210	16				
NOT TOOLED	5569-18A2G3	18			NOT TOOLED	5569-18A2G3-210	18				
NOT TOOLED	5569-20A2G3	20			NOT TOOLED	5569-20A2G3-210	20				
NOT TOOLED	5569-22A2G3	22			NOT TOOLED	5569-22A2G3-210	22				
NOT TOOLED	5569-24A2G3	24			NOT TOOLED	5569-24A2G3-210	24				
REVISION:	ECR/ECN INFORMATION:		TITLE:					SHEET No.			
L3	EC No: UCP2010-0398		MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS					- 2 -			
	DATE: 2009/09/02										
DOCUMENT NUMBER:			Drawn By:		Checked By:		Approved By:				
SDA-5569-NA2*-*			JJAGUILAR		JBELL		FSMITH				
Filename: SPOMASTER.DOC			Revision: 1		Location: Workmanager General Docs Class.		Date: 4-15-2002				

BULK PACKAGED PK-5569-002										
PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	
39-30-0023	5569-02A2GS	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "GS"	94V-2	39-30-0024	5569-02A2GS-210	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "GS"	94V-0	
39-30-0043	5569-04A2GS	4			39-30-0044	5569-04A2GS-210	4			
39-30-0063	5569-06A2GS	6			39-30-0064	5569-06A2GS-210	6			
39-30-0083	5569-08A2GS	8			39-30-0084	5569-08A2GS-210	8			
39-30-0103	5569-10A2GS	10			39-30-0104	5569-10A2GS-210	10			
39-30-0123	5569-12A2GS	12			39-30-0124	5569-12A2GS-210	12			
39-30-0143	5569-14A2GS	14			39-30-0144	5569-14A2GS-210	14			
39-30-0163	5569-16A2GS	16			39-30-0164	5569-16A2GS-210	16			
39-30-0183	5569-18A2GS	18			39-30-0184	5569-18A2GS-210	18			
39-30-0203	5569-20A2GS	20			39-30-0204	5569-20A2GS-210	20			
39-30-0223	5569-22A2GS	22	39-30-0224	5569-22A2GS-210	22					
39-30-0243	5569-24A2GS	24			39-30-0244	5569-24A2GS-210	24			
39-30-1023	5569-02A2GS2	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	94V-2	39-30-1024	5569-02A2GS2-210	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	94V-0	
39-30-1043	5569-04A2GS2	4			39-30-1044	5569-04A2GS2-210	4			
39-30-1063	5569-06A2GS2	6			39-30-1064	5569-06A2GS2-210	6			
39-30-1083	5569-08A2GS2	8			39-30-1084	5569-08A2GS2-210	8			
39-30-1103	5569-10A2GS2	10			39-30-1104	5569-10A2GS2-210	10			
39-30-1123	5569-12A2GS2	12			39-30-1124	5569-12A2GS2-210	12			
39-30-1143	5569-14A2GS2	14			39-30-1144	5569-14A2GS2-210	14			
39-30-1163	5569-16A2GS2	16			39-30-1164	5569-16A2GS2-210	16			
39-30-1183	5569-18A2GS2	18			39-30-1184	5569-18A2GS2-210	18			
39-30-1203	5569-20A2GS2	20			39-30-1204	5569-20A2GS2-210	20			
39-30-1223	5569-22A2GS2	22	39-30-1224	5569-22A2GS2-210	22					
39-30-1243	5569-24A2GS2	24			39-30-1244	5569-24A2GS2-210	24			
39-34-4026	5569-02A2GS3	2	50 μ" SELECT GOLD SEE NOTE 2 OPTION "GS3"	94V-2	39-34-4027	5569-02A2GS3-210	2	50 μ" SELECT GOLD SEE NOTE 2 OPTION "GS3"	94V-0	
39-34-4046	5569-04A2GS3	4			39-34-4047	5569-04A2GS3-210	4			
NOT TOOLED	5569-06A2GS3	6			NOT TOOLED	5569-06A2GS3-210	6			
NOT TOOLED	5569-08A2GS3	8			NOT TOOLED	5569-08A2GS3-210	8			
NOT TOOLED	5569-10A2GS3	10			NOT TOOLED	5569-10A2GS3-210	10			
NOT TOOLED	5569-12A2GS3	12			NOT TOOLED	5569-12A2GS3-210	12			
NOT TOOLED	5569-14A2GS3	14			NOT TOOLED	5569-14A2GS3-210	14			
NOT TOOLED	5569-16A2GS3	16			NOT TOOLED	5569-16A2GS3-210	16			
NOT TOOLED	5569-18A2GS3	18			NOT TOOLED	5569-18A2GS3-210	18			
NOT TOOLED	5569-20A2GS3	20			NOT TOOLED	5569-20A2GS3-210	20			
NOT TOOLED	5569-22A2GS3	22	NOT TOOLED	5569-22A2GS3-210	22					
NOT TOOLED	5569-24A2GS3	24			NOT TOOLED	5569-24A2GS3-210	24			
39-30-7025	5569-02A2S	2	TIN OVER NICKEL SEE NOTE 2 OPTION "S"	94V-2	39-30-7026	5569-02A2S-210	2	TIN OVER NICKEL SEE NOTE 2 OPTION "S"	94V-0	
39-30-7045	5569-04A2S	4			39-30-7046	5569-04A2S-210	4			
39-30-7065	5569-06A2S	6			39-30-7066	5569-06A2S-210	6			
39-30-7085	5569-08A2S	8			39-30-7086	5569-08A2S-210	8			
39-30-7105	5569-10A2S	10			39-30-7106	5569-10A2S-210	10			
39-30-7125	5569-12A2S	12			39-30-7126	5569-12A2S-210	12			
39-30-7145	5569-14A2S	14			39-30-7146	5569-14A2S-210	14			
39-30-7165	5569-16A2S	16			39-30-7166	5569-16A2S-210	16			
39-30-7185	5569-18A2S	18			39-30-7186	5569-18A2S-210	18			
39-30-7205	5569-20A2S	20			39-30-7206	5569-20A2S-210	20			
39-30-7225	5569-22A2S	22	39-30-7226	5569-22A2S-210	22					
39-30-7245	5569-24A2S	24			39-30-7246	5569-24A2S-210	24			
REVISION: L3	ECR/ECN INFORMATION: EC No: UCP2010-0398 DATE: 2009/09/02		TITLE: MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS					SHEET No. - 3 -		
DOCUMENT NUMBER: SDA-5569-NA2*-*			Drawn By: JJAGUILAR		Checked By: JBELL		Approved By: FSMITH			
Filename: SPOMASTER.DOC			Revision: 1		Location: Workmanager General Docs Class.			Date: 4-15-2002		

BULK PACKAGED PER PK-5569-002										
PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	
		2			39-31-1021	5569-02A2-BL	2	TIN OVER COPPER SEE NOTE 2 OPTION "BLANK"	BLACK 94V-2	
		4			39-31-1041	5569-04A2-BL	4			
		6			39-31-1061	5569-06A2-BL	6			
		8			39-31-1081	5569-08A2-BL	8			
		10			39-31-1101	5569-10A2-BL	10			
		12			39-31-1121	5569-12A2-BL	12			
		14			39-31-1141	5569-14A2-BL	14			
		16			39-31-1161	5569-16A2-BL	16			
		18			39-31-1181	5569-18A2-BL	18			
		20			39-31-1201	5569-20A2-BL	20			
		22			39-31-1221	5569-22A2-BL	22			
		24			39-31-1241	5569-24A2-BL	24			
		2			39-31-6029	5569-02A2G-BL	2	30 μ" GOLD SEE NOTE 2 OPTION "G"	BLACK 94V-2	
		4			39-31-6049	5569-04A2G-BL	4			
		6			39-31-6069	5569-06A2G-BL	6			
		8			39-31-6089	5569-08A2G-BL	8			
		10			39-31-6109	5569-10A2G-BL	10			
		12			39-31-6129	5569-12A2G-BL	12			
		14			39-31-6149	5569-14A2G-BL	14			
		16			39-31-6169	5569-16A2G-BL	16			
		18			39-31-6189	5569-18A2G-BL	18			
		20			39-31-6209	5569-20A2G-BL	20			
		22			39-31-6229	5569-22A2G-BL	22			
		24			39-31-6249	5569-24A2G-BL	24			
		2								
		4								
		6								
		8								
		10								
		12								
		14								
		16								
		18								
		20								
		22								
		24								
39-34-9021	5569-02A2S-400	2	TIN OVER NICKEL SEE NOTE 2 OPTION "S"	BLACK 94V-0						
39-34-9041	5569-04A2S-400	4								
39-34-9061	5569-06A2S-400	6								
39-34-9081	5569-08A2S-400	8								
39-34-9101	5569-10A2S-400	10								
39-34-9121	5569-12A2S-400	12								
39-34-9141	5569-14A2S-400	14								
39-34-9161	5569-16A2S-400	16								
39-34-9181	5569-18A2S-400	18								
39-34-9201	5569-20A2S-400	20								
39-34-9221	5569-22A2S-400	22								
39-34-9241	5569-24A2S-400	24								
REVISION:	ECR/ECN INFORMATION:		TITLE:						SHEET No.	
L3	EC No: UCP2010-0398		MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS						- 4 -	
	DATE: 2009/09/02									
DOCUMENT NUMBER:			Drawn By:		Checked By:		Approved By:			
SDA-5569-NA2*-*			JJAGUILAR		JBELL		FSMITH			
Filename: SPOMASTER.DOC			Revision: 1		Location: Workmanager General Docs Class.			Date: 4-15-2002		

TRAY PACKAGED PER PK-5569-003										
PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	
26-01-3127	5569-02A2GS2-210-T	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	94V-0			2			
26-01-3128	5569-04A2GS2-210-T	4					4			
NOT TOOLED	5569-06A2GS2-210-T	6					6			
NOT TOOLED	5569-08A2GS2-210-T	8					8			
NOT TOOLED	5569-10A2GS2-210-T	10					10			
NOT TOOLED	5569-12A2GS2-210-T	12					12			
NOT TOOLED	5569-14A2GS2-210-T	14					14			
NOT TOOLED	5569-16A2GS2-210-T	16					16			
NOT TOOLED	5569-18A2GS2-210-T	18					18			
NOT TOOLED	5569-20A2GS2-210-T	20					20			
NOT TOOLED	5569-22A2GS2-210-T	22					22			
NOT TOOLED	5569-24A2GS2-210-T	24					24			
26-01-3141	5569-02A2GS3-T	2	50 μ" SELECT GOLD SEE NOTE 2 OPTION "GS3"	94V-2			2			
26-01-3142	5569-04A2GS3-T	4					4			
26-01-3143	5569-06A2GS3-T	6					6			
26-01-3144	5569-08A2GS3-T	8					8			
NOT TOOLED	5569-10A2GS3-T	10					10			
NOT TOOLED	5569-12A2GS3-T	12					12			
NOT TOOLED	5569-14A2GS3-T	14					14			
26-01-3148	5569-16A2GS3-T	16					16			
NOT TOOLED	5569-18A2GS3-T	18					18			
NOT TOOLED	5569-20A2GS3-T	20					20			
NOT TOOLED	5569-22A2GS3-T	22					22			
NOT TOOLED	5569-24A2GS3-T	24					24			
		2					2			
		4					4			
		6					6			
		8					8			
		10					10			
		12					12			
		14					14			
		16					16			
		18					18			
		20					20			
		22					22			
		24					24			
		2					2			
		4					4			
		6					6			
		8					8			
		10					10			
		12					12			
		14					14			
		16					16			
		18					18			
		20					20			
		22					22			
		24					24			
REVISION:	ECR/ECN INFORMATION:		TITLE:						SHEET No.	
L3	EC No: UCP2010-0398		MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS						- 6 -	
	DATE: 2009/09/02									
DOCUMENT NUMBER:			Drawn By:		Checked By:		Approved By:			
SDA-5569-NA2*-*			JJAGUILAR		JBELL		FSMITH			
Filename: SPOMASTER.DOC Revision: 1 Location: Workmanager General Docs Class. Date: 4-15-2002										

TRAY PACKAGED PER PK-5569-003											
PART NUMBER		ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER		ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L
50-36-1757		5569-02A2S-T	2	TIN OVER NICKEL SEE NOTE 2 OPTION "S"	94V-2	50-36-1758		5569-02A2S-210-T	2	TIN OVER NICKEL SEE NOTE 2 OPTION "S"	94V-0
50-36-1767		5569-04A2S-T	4			50-36-1768		5569-04A2S-210-T	4		
50-36-1777		5569-06A2S-T	6			50-36-1778		5569-06A2S-210-T	6		
50-36-1787		5569-08A2S-T	8			50-36-1788		5569-08A2S-210-T	8		
50-36-1797		5569-10A2S-T	10			50-36-1798		5569-10A2S-210-T	10		
50-36-1807		5569-12A2S-T	12			50-36-1808		5569-12A2S-210-T	12		
50-36-1817		5569-14A2S-T	14			50-36-1818		5569-14A2S-210-T	14		
50-36-1827		5569-16A2S-T	16			50-36-1828		5569-16A2S-210-T	16		
50-36-1837		5569-18A2S-T	18			50-36-1838		5569-18A2S-210-T	18		
50-36-1847		5569-20A2S-T	20			50-36-1848		5569-20A2S-210-T	20		
50-36-1857		5569-22A2S-T	22			50-36-1858		5569-22A2S-210-T	22		
50-36-1867		5569-24A2S-T	24	50-36-1868		5569-24A2S-210-T	24				
50-36-1755		5569-02A2GS-T	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "GS"	94V-2	50-36-1756		5569-02A2GS-210-T	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "GS"	94V-0
50-36-1765		5569-04A2GS-T	4			50-36-1766		5569-04A2GS-210-T	4		
50-36-1775		5569-06A2GS-T	6			50-36-1776		5569-06A2GS-210-T	6		
50-36-1785		5569-08A2GS-T	8			50-36-1786		5569-08A2GS-210-T	8		
50-36-1795		5569-10A2GS-T	10			50-36-1796		5569-10A2GS-210-T	10		
50-36-1805		5569-12A2GS-T	12			50-36-1806		5569-12A2GS-210-T	12		
50-36-1815		5569-14A2GS-T	14			50-36-1816		5569-14A2GS-210-T	14		
50-36-1825		5569-16A2GS-T	16			50-36-1826		5569-16A2GS-210-T	16		
50-36-1835		5569-18A2GS-T	18			50-36-1836		5569-18A2GS-210-T	18		
50-36-1845		5569-20A2GS-T	20			50-36-1846		5569-20A2GS-210-T	20		
50-36-1855		5569-22A2GS-T	22			50-36-1856		5569-22A2GS-210-T	22		
50-36-1865		5569-24A2GS-T	24	50-36-1866		5569-24A2GS-210-T	24				
			2	50 μ" SELECT GOLD SEE NOTE 2 OPTION "GS3"	94V-0	26-01-3101		5569-02A2GS-BL-T	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "GS"	BLACK 94V-2
			4			NOT TOOLED		5569-04A2GS-BL-T	4		
			6			NOT TOOLED		5569-06A2GS-BL-T	6		
			8			NOT TOOLED		5569-08A2GS-BL-T	8		
26-01-3094		5569-10AGS3-210-T	10			NOT TOOLED		5569-10A2GS-BL-T	10		
			12			NOT TOOLED		5569-12A2GS-BL-T	12		
			14			NOT TOOLED		5569-14A2GS-BL-T	14		
			16			26-01-3108		5569-16A2GS-BL-T	16		
			18			NOT TOOLED		5569-18A2GS-BL-T	18		
			20			NOT TOOLED		5569-20A2GS-BL-T	20		
			22			NOT TOOLED		5569-22A2GS-BL-T	22		
			24	NOT TOOLED		5569-24A2GS-BL-T	24				
26-01-3114		5569-02A2GS2-T	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	94V-2				2		
26-01-3115		5569-04A2GS2-T	4						4		
26-01-3116		5569-06A2GS2-T	6						6		
NOT TOOLED		5569-08A2GS2-T	8						8		
NOT TOOLED		5569-10A2GS2-T	10						10		
26-01-3119		5569-12A2GS2-T	12						12		
NOT TOOLED		5569-14A2GS2-T	14						14		
NOT TOOLED		5569-16A2GS2-T	16						16		
NOT TOOLED		5569-18A2GS2-T	18						18		
NOT TOOLED		5569-20A2GS2-T	20						20		
NOT TOOLED		5569-22A2GS2-T	22						22		
26-01-3126		5569-24A2GS2-T	24				24				
REVISION:		ECR/ECN INFORMATION:			TITLE:					SHEET No.	
L3		EC No: UCP2010-0398			MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS					- 7 -	
DATE: 2009/09/02											
DOCUMENT NUMBER:				Drawn By:		Checked By:		Approved By:			
SDA-5569-NA2*-*				JJAGUILAR		JBELL		FSMITH			
Filename: SPOMASTER.DOC				Revision: 1		Location: Workmanager General Docs Class.			Date: 4-15-2002		