



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

FCI CONFIDENTIAL

PRODUCT NUMBER
20020004-XXX1B01LF

20020004-□□□1B01LF

PITCH

C: 3.50 mm
D: 3.81 mm

POLES

02: 2 poles
03: 3 poles
04: 4 poles

24: 24 poles

LF: DENOTED RoHS COMPATIBLE

PROPERTY TABLE

FCI SERIES NAME	01-350	01-381
PITCH (mm)	3.50	3.81
VOLTAGE RATING (VAC)	300	300
CURRENT RATING (A)	10	10
APPLICABLE WIRE RANGE (AWG)	16~26	16~26
WIRE CROSS SECTION (mm*mm)	1.5~0.2	1.5~0.2
WIRE STRIP LENGTH(mm)	6~7	6~7
TORQUE +/- 10% (N-m/Lb-in)	0.23/2.0	0.23/2.0
SCREW	M2x0.4	M2x0.4
WITHSTANDING VOLTAGE (kV)	1.6	1.6
OPERATING TEMP. (°C)	-40~+115	-40~+115
POLES AVAILABLE	02~24	02~24

SAFETY CERTIFICATE



NOTES:

1. MATERIALS
1-1 HOUSING: THERMALPLASTIC RESIN, UL 94V-0 RATED, COLOR GREEN.
1-2 SCREW: STEEL, ZINC PLATED.
1-3 CLAMP: BRASS, NICKEL PLATED.
1-4 TERMINAL: PHOSPHOROUS BRONZES, TIN PLATED.
2. PRODUCT SPECIFICATION REFER TO FCI GS-12-625.
3. BOXED PACKAGING,
DETAILED PRODUCT PACKING SPECIFICATION REFER TO FCI GS-14-1394.
4. FCI, SAFETY CERTIFICATE LOGO AND SERIES NAME TO BE SHOWN ON PRODUCT SURFACE.
5. THE PRODUCTS WHERE THE PART NUMBER END IN "LF" MEET THE EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

TOLERANCES UNLESS OTHERWISE SPECIFIED				rev	ecn no	dr	date
LINEAR	X.	±0.5	-	A	DG09-0203	BF	062509
	X.X	±0.30	-	B	T09-1148	BF	111709
	X.XX	±0.10	-	C	T09-1152	BF	112609
	X	±1*	-	D	T10-0042	WL	030310
ANGULAR	X*	±1*	-	-	-	-	-

Material			Spec ref *				
Mat code			✓	tolerance	projection	MM ←————→	
Heattreat							
Plating/Finish							
Dr	BEER FU	062509	size			A4	Scale
Eng	BEER FU	062509	Product family				
Chr	GARY HSIEH	062509	Model Name			ECN T10-0042	
Appr	JOSEPH HSIA	062509	Model Revision			REL Level	RELEASED
	title TERMINAL BLOCK PLUGGABLE PLUG, SINGAL, W/O FLANGE		dwg no 20020004		Rev		
					D		
Pro/E file	catalog no		CUSTOMER		sheet 1 of 3		

REV: 2008-04-17


PDM: Rev:D

STATUS: Released

Printed: Jul 21, 2010





PRODUCT NUMBER	SERIES NAME	PITCH
20020004-CXX1B01LF	01-350	3.50 mm



N = Number of poles
 Dim A = $N \times 3.5 [0.138]$
 Dim B = $(N-1) \times 3.5 [0.138]$

TOL.	Dim A	Dim B
2-6p	±0.15 [0.006]	
7-12p	±0.20 [0.008]	
13-18p	±0.25 [0.010]	
19-24p	±0.30 [0.012]	




Material			Spec ref				
Mat code			✓	tolerance	projection	MM ←————→	
Heattreat							
Plating/Finish							
Dr	BEER FU	062509				size	Scale
Eng	BEER FU	062509	Product family			A4	
Chr	GARY HSIEH	062509	Model Name			ECN	T10-0042
Appr	JOSEPH HSIA	062509	Model Revision			REL Level	RELEASED
		title			20020004		Rev.
		TERMINAL BLOCK PLUGGABLE PLUG, SINGAL, W/O FLANGE			dwg no		D
Pro/E file		catalog no			CUSTOMER		sheet 2 of 3

REV: 2008-04-17





PRODUCT NUMBER	SERIES NAME	PITCH
20020004-DXX1B01LF	01-381	3.81 mm



N = Number of poles
 Dim A = $N \times 3.81$ [0.150]
 Dim B = $(N-1) \times 3.81$ [0.150]

TOL.	Dim A	Dim B
2-6p	± 0.15 [0.006]	
7-12p	± 0.20 [0.008]	
13-18p	± 0.25 [0.010]	
19-24p	± 0.30 [0.012]	



Material			Spec ref				
Mat code			✓	tolerance	projection		
Heattreat							
Plating/Finish							
Dr	BEER FU	062509				size	Scale
Eng	BEER FU	062509	Product family			A4	
Chr	GARY HSIEH	062509	Model Name			ECN	T10-0042
Appr	JOSEPH HSIA	062509	Model Revision			REL Level	RELEASED
	title	TERMINAL BLOCK			dwg no	20020004	Rev. D
		PLUGGABLE PLUG, SINGAL, W/O FLANGE					
Pro/E file	catalog no			CUSTOMER		sheet 3 of 3	

REV: 2008-04-17