

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0038002094

Status:

Active

Overview:

kk

Description:

2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, Friction Ramp and Polarizing Rib, Brown ID Strip

Documents:

3D Model

Drawing (PDF)

Product Specification PSX-7690S (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

UL

E29179

General

Product Family

IDT and Solder Connectors

Series

7720

Comments

Version J

Crimp Quality Equipment

Yes

Overview

kk

Product Name

KK®

Physical

Circuits (Loaded)

4

Circuits (maximum)

4

Color - Resin

Natural

Durability (mating cycles max)

5

Flammability

94V-2

Gender

Female

Glow-Wire Compliant

No

Lock to Mating Part

None

Material - Metal

Brass

Material - Plating Mating

Tin

Material - Plating Termination

Tin

Material - Resin

Nylon

Number of Rows

1

Packaging Type

Bag

Panel Mount

No

Pitch - Mating Interface (in)

0.100 In

Pitch - Mating Interface (mm)

2.54 mm

Pitch - Term. Interface (in)

0.100 In

Pitch - Term. Interface (mm)

2.54 mm

Polarized to Mating Part

Yes

Stackable

No

Temperature Range - Operating

0°C to +50°C

Termination Interface: Style

IDT or Pierce

Wire Size AWG

26 Stranded, 28 Solid, 28 Stranded Topcoat

Electrical

Current - Maximum per Contact

4A

Voltage - Maximum

250V

Solder Process Data


Lead-free Process Capability

Wave Capable (TH only)

Material Info

Old Part Number

A-7720S-C4J



EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

7720Series

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.


Global	
Description	Product #
Insertion Tool for	0638133504
2.54mm (.100") Pitch	
KK® IDT Crimp	
Terminals	
IDT - Semi-automatic	0011200412
- Bench-Top	
Terminator	

Reference - Drawing Numbers

Packaging Specification	PK-7720-100
Product Specification	PSX-7690S
Sales Drawing	SDA-7720S-*N*

This document was generated on 05/19/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



	10	9	8	7	6	5	4	3	2	1									
F	PART NO.		ENG. NO.		CCTS.	TERMINAL	I.D. STRIPE	PLATING											
	38-00-2092		A-7720S-C 2J		2	40125-J(P918)	BROWN	HOT TIN DIP (1-3µM)/.000040-.000120											
	↑	2093	↑	C 3J	3	↑	↑												
		2094		C 4J	4														
		2095		C 5J	5														
		2096		C 6J	6														
		2097		C 7J	7														
		2098		C 8J	8														
		2099		C 9J	9														
		2100		C10J	10														
		2101		C11J	11														
		2102		C12J	12														
		2103		C13J	13														
		2104		C14J	14														
		2105		C15J	15														
		2106		C16J	16														
		2107		C17J	17														
		2108		C18J	18														
		2109		C19J	19														
		2110		C20J	20														
		2111		C21J	21														
		2112		C22J	22														
		2113		C23J	23														
		2114		C24J	24														
		2115		C25J	25														
		2116		C26J	26														
		↓	2117	↓	C27J	27	↓				↓								
		38-00-2118		A-7720S-C28J		28	40125-J(P918)	BROWN											
B	PART NO.		ENG. NO.		CCTS.	TERMINAL	I.D. STRIPE	PLATING											
	38-00-0579		A-7720S-C6J(561)		6	40627-J(561)	BROWN	SELECTIVE GOLD (0.76µM)/.000030 MIN. OVER (1.27µM)/.000050 NICKEL MIN.											
A	NOTE# 18 - 28 CIRCUITS ARE NON-STANDARD.																		
	CORRECT PLATING EC NO: E2007-0125 DRAWN: DAWASZKIEWICZ 2006/10/10 CHK'D: D. MORIARTY 2006/10/11 APPR: J.DENNEHY 2006/10/11 V				DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION						
									MM ONLY		---	METRIC							
											DRAWN BY DATE			TITLE					
											CHECKED BY DATE								
							D.MORIARTY		DATE										
							APPROVED BY		DATE										
							J.DENNEHY												
							MATERIAL NO.		DOCUMENT NO.		SHEET NO.								
							SEE CHART		SDA-7720S-*N*		3 OF 4								
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
ib_frame_A3_P_ME_T Rev. D 2004/04/02											9	8	7	6	5	4	3	2	1