

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0395264010](#)
Status: **Active**
Description: 5.00mm (.197") Pitch Eurostyle™ Horizontal PCB Header, with Threaded Retention Inserts, Surface Mount Compatible, 10 Circuits

Documents:
[3D Model](#) [Product Specification PS-39500-001 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)


General	
Product Family	Terminal Blocks
Series	39526
Application	Wire-to-Board
Component Type	PCB Header
Product Literature Order No	USA-355
Product Name	ESE, Eurostyle™ Pluggable
Type	Euro Block

Physical	
Circuits (Loaded)	10
Entry Angle	N/A
Lock to Mating Part	Yes
Number of Rows	1
Orientation	Horizontal
PC Tail Length (in)	0.154 In
PC Tail Length (mm)	3.90 mm
PCB Thickness Recommended (in)	0.125 In
PCB Thickness Recommended (mm)	3.20 mm
Panel Mount	No
Pitch - Mating Interface (in)	0.197 In
Pitch - Mating Interface (mm)	5.00 mm
Polarized to Mating Part	Yes
Shrouded	Closed Ends
Stackable	No
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-40°C to +140°C
Wire Size AWG	N/A

Electrical	
Current - Maximum per Contact	15A
Voltage - Maximum	300V

Material Info

Reference - Drawing Numbers	
Product Specification	PS-39500-001
Sales Drawing	SD-39501-002, SD-39526-001



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?


Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[39526Series](#)

Mates With
Most 5.00mm (.197") Pitch Industry Standard Plugs, [39524](#) Horizontal Plug with Retention Screws, [39527](#) Vertical Plug with Retention Screws

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



NOTES:

- 1. REFER TO INDIVIDUAL PRODUCT SALES DRAWINGS FOR "B" DIMENSION.
- 2. DOES NOT APPLY TO DUAL LEVEL HEADERS, SERIES 39528 AND 39538.
- 3. TYP. = TYPICAL.

INITIAL RELEASE	EC NO: ETC2007-0096	2006/10/02
	DRWN: CLYORK	2006/10/04
	CHKD: JMACNEIL	2006/10/04
	APPR: JMACNEIL	2006/10/04
DESCRIPTION		
REV		
A		

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
4 PLACES	± .005
3 PLACES	± .01
2 PLACES	± .01
1 PLACE	± .01
ANGULAR ± 2 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM/IN	
DRAWN BY	DATE
C. YORK	2006/08/25
CHECKED BY	DATE
J. MACNEIL	2006/08/25
APPROVED BY	DATE
J. MACNEIL	2006/08/25
MATERIAL NO.	
--	
SIZE	
B	

SCALE 3:1	DESIGN UNITS INCH	
TITLE		
RECOMMENDED PCB LAYOUT FOR ESE TERMINAL BLOCKS		
 MOLEX INCORPORATED		
DOCUMENT NO. SD-39501-002		SHEET NO. 1 OF 1
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

SPECIFICATIONS:

1. Material:

(1). Body: PA46

(2). Pin: Brass

(3). Threaded insert: Brass

2. Wire range: N/A

3. Electrical rating: 300V, 15A.

4. Wire strip length: N/A

5. Operating temperature: -40C to +140C.

6. Max torque: N/A

7. Insulation resistance: DC 500V, 500M.

8. Dielectric withstand: AC 2500V for 1 minute.

9. Breakdown voltage: 4000V.


10. $A = (B + 15.0\text{mm})$

11. $B = (N - 1) \times P$

13. $C = (B + 10\text{mm})$

12. P (PITCH) = 5.0mm (.197").

13. N = Number of positions available 2 through 24.



ENTER DESCRIPTION EC NO: NEO2006-0310 DRAWN: LROTHAUS 2006/01/09 CHKD: C YORK 2006/01/09 APPR: JPAWLICK 2006/01/10 REV A	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY LROTHAUS	DATE 12/6/05	TITLE 5.0MM, EURO HEADER, RIGHT ANGLE, HI-TEMP MOUNTING	
			4 PLACES	± ---	± .0015	CHECKED BY C. YORK	DATE 01/06/06		
			3 PLACES	± 0.038	± .005	APPROVED BY	DATE		
			2 PLACES	± 0.13	± .01	molex MOLEX INCORPORATED			
			1 PLACE	± 0.3	± ---				
			ANGULAR ± 2 °		MATERIAL NO.	DOCUMENT NO.	SHEET NO. 1 OF 1		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART SD-39526-001				
					SIZE B THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
F									F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
E									E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
D									D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
C									C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
B									B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
A									A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
<table><tr><th colspan="2" rowspan="4"></th><th colspan="11">Material Numbers</th><th colspan="6" rowspan="3">Dimensional Information</th></tr><tr><th colspan="6">Black</th><th colspan="5">Green</th></tr><tr><th colspan="3">100% Tin</th><th colspan="3">30 u" Gold</th><th colspan="3">100% Tin</th><th colspan="2">30 u" Gold</th></tr><tr><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="2">Printing Options</th><th colspan="2">Dim. A</th><th colspan="2">Dim B</th><th colspan="2">Dim. C</th></tr><tr><th colspan="2">Description</th><th>Circuit size</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>mm</th><th>inch</th><th>mm</th><th>inch</th><th>mm</th><th>inch</th></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>2</td><td>395264002</td><td>395264102</td><td>395264202</td><td>395264502</td><td>395264602</td><td>395264702</td><td>395269002</td><td>395269102</td><td>395269202</td><td>395269502</td><td>395269602</td><td>395269702</td><td>20.00</td><td>0.787</td><td>5.00</td><td>0.197</td><td>15.00</td><td>0.591</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>3</td><td>395264003</td><td>395264103</td><td>395264203</td><td>395264503</td><td>395264603</td><td>395264703</td><td>395269003</td><td>395269103</td><td>395269203</td><td>395269503</td><td>395269603</td><td>395269703</td><td>25.00</td><td>0.984</td><td>10.00</td><td>0.394</td><td>20.00</td><td>0.787</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>4</td><td>395264004</td><td>395264104</td><td>395264204</td><td>395264504</td><td>395264604</td><td>395264704</td><td>395269004</td><td>395269104</td><td>395269204</td><td>395269504</td><td>395269604</td><td>395269704</td><td>30.00</td><td>1.181</td><td>15.00</td><td>0.591</td><td>25.00</td><td>0.984</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>5</td><td>395264005</td><td>395264105</td><td>395264205</td><td>395264505</td><td>395264605</td><td>395264705</td><td>395269005</td><td>395269105</td><td>395269205</td><td>395269505</td><td>395269605</td><td>395269705</td><td>35.00</td><td>1.378</td><td>20.00</td><td>0.787</td><td>30.00</td><td>1.181</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>6</td><td>395264006</td><td>395264106</td><td>395264206</td><td>395264506</td><td>395264606</td><td>395264706</td><td>395269006</td><td>395269106</td><td>395269206</td><td>395269506</td><td>395269606</td><td>395269706</td><td>40.00</td><td>1.575</td><td>25.00</td><td>0.984</td><td>35.00</td><td>1.378</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>7</td><td>395264007</td><td>395264107</td><td>395264207</td><td>395264507</td><td>395264607</td><td>395264707</td><td>395269007</td><td>395269107</td><td>395269207</td><td>395269507</td><td>395269607</td><td>395269707</td><td>45.00</td><td>1.772</td><td>30.00</td><td>1.181</td><td>40.00</td><td>1.575</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>8</td><td>395264008</td><td>395264108</td><td>395264208</td><td>395264508</td><td>395264608</td><td>395264708</td><td>395269008</td><td>395269108</td><td>395269208</td><td>395269508</td><td>395269608</td><td>395269708</td><td>50.00</td><td>1.969</td><td>35.00</td><td>1.378</td><td>45.00</td><td>1.772</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>9</td><td>395264009</td><td>395264109</td><td>395264209</td><td>395264509</td><td>395264609</td><td>395264709</td><td>395269009</td><td>395269109</td><td>395269209</td><td>395269509</td><td>395269609</td><td>395269709</td><td>55.00</td><td>2.165</td><td>40.00</td><td>1.575</td><td>50.00</td><td>1.969</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>10</td><td>395264010</td><td>395264110</td><td>395264210</td><td>395264510</td><td>395264610</td><td>395264710</td><td>395269010</td><td>395269110</td><td>395269210</td><td>395269510</td><td>395269610</td><td>395269710</td><td>60.00</td><td>2.362</td><td>45.00</td><td>1.772</td><td>55.00</td><td>2.165</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>11</td><td>395264011</td><td>395264111</td><td>395264211</td><td>395264511</td><td>395264611</td><td>395264711</td><td>395269011</td><td>395269111</td><td>395269211</td><td>395269511</td><td>395269611</td><td>395269711</td><td>65.00</td><td>2.559</td><td>50.00</td><td>1.969</td><td>60.00</td><td>2.362</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>12</td><td>395264012</td><td>395264112</td><td>395264212</td><td>395264512</td><td>395264612</td><td>395264712</td><td>395269012</td><td>395269112</td><td>395269212</td><td>395269512</td><td>395269612</td><td>395269712</td><td>70.00</td><td>2.756</td><td>55.00</td><td>2.165</td><td>65.00</td><td>2.559</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>13</td><td>395264013</td><td>395264113</td><td>395264213</td><td>395264513</td><td>395264613</td><td>395264713</td><td>395269013</td><td>395269113</td><td>395269213</td><td>395269513</td><td>395269613</td><td>395269713</td><td>75.00</td><td>2.953</td><td>60.00</td><td>2.362</td><td>70.00</td><td>2.756</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>14</td><td>395264014</td><td>395264114</td><td>395264214</td><td>395264514</td><td>395264614</td><td>395264714</td><td>395269014</td><td>395269114</td><td>395269214</td><td>395269514</td><td>395269614</td><td>395269714</td><td>80.00</td><td>3.150</td><td>65.00</td><td>2.559</td><td>75.00</td><td>2.953</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>15</td><td>395264015</td><td>395264115</td><td>395264215</td><td>395264515</td><td>395264615</td><td>395264715</td><td>395269015</td><td>395269115</td><td>395269215</td><td>395269515</td><td>395269615</td><td>395269715</td><td>85.00</td><td>3.346</td><td>70.00</td><td>2.756</td><td>80.00</td><td>3.150</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>16</td><td>395264016</td><td>395264116</td><td>395264216</td><td>395264516</td><td>395264616</td><td>395264716</td><td>395269016</td><td>395269116</td><td>395269216</td><td>395269516</td><td>395269616</td><td>395269716</td><td>90.00</td><td>3.543</td><td>75.00</td><td>2.953</td><td>85.00</td><td>3.346</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>17</td><td>395264017</td><td>395264117</td><td>395264217</td><td>395264517</td><td>395264617</td><td>395264717</td><td>395269017</td><td>395269117</td><td>395269217</td><td>395269517</td><td>395269617</td><td>395269717</td><td>95.00</td><td>3.740</td><td>80.00</td><td>3.150</td><td>90.00</td><td>3.543</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>18</td><td>395264018</td><td>395264118</td><td>395264218</td><td>395264518</td><td>395264618</td><td>395264718</td><td>395269018</td><td>395269118</td><td>395269218</td><td>395269518</td><td>395269618</td><td>395269718</td><td>100.00</td><td>3.937</td><td>85.00</td><td>3.346</td><td>95.00</td><td>3.740</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>19</td><td>395264019</td><td>395264119</td><td>395264219</td><td>395264519</td><td>395264619</td><td>395264719</td><td>395269019</td><td>395269119</td><td>395269219</td><td>395269519</td><td>395269619</td><td>395269719</td><td>105.00</td><td>4.134</td><td>90.00</td><td>3.543</td><td>100.00</td><td>3.937</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>20</td><td>395264020</td><td>395264120</td><td>395264220</td><td>395264520</td><td>395264620</td><td>395264720</td><td>395269020</td><td>395269120</td><td>395269220</td><td>395269520</td><td>395269620</td><td>395269720</td><td>110.00</td><td>4.331</td><td>95.00</td><td>3.740</td><td>105.00</td><td>4.134</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>21</td><td>395264021</td><td>395264121</td><td>395264221</td><td>395264521</td><td>395264621</td><td>395264721</td><td>395269021</td><td>395269121</td><td>395269221</td><td>395269521</td><td>395269621</td><td>395269721</td><td>115.00</td><td>4.528</td><td>100.00</td><td>3.937</td><td>110.00</td><td>4.331</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>22</td><td>395264022</td><td>395264122</td><td>395264222</td><td>395264522</td><td>395264622</td><td>395264722</td><td>395269022</td><td>395269122</td><td>395269222</td><td>395269522</td><td>395269622</td><td>395269722</td><td>120.00</td><td>4.724</td><td>105.00</td><td>4.134</td><td>115.00</td><td>4.528</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>23</td><td>395264023</td><td>395264123</td><td>395264223</td><td>395264523</td><td>395264623</td><td>395264723</td><td>395269023</td><td>395269123</td><td>395269223</td><td>395269523</td><td>395269623</td><td>395269723</td><td>125.00</td><td>4.921</td><td>110.00</td><td>4.331</td><td>120.00</td><td>4.724</td></tr><tr><td colspan="2">5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp</td><td>24</td><td>395264024</td><td>395264124</td><td>395264224</td><td>395264524</td><td>395264624</td><td>395264724</td><td>395269024</td><td>395269124</td><td>395269224</td><td>395269524</td><td>395269624</td><td>395269724</td><td>130.00</td><td>5.118</td><td>115.00</td><td>4.528</td><td>125.00</td><td>4.921</td></tr></table>												Material Numbers											Dimensional Information						Black						Green					100% Tin			30 u" Gold			100% Tin			30 u" Gold		Printing Options			Printing Options			Printing Options			Printing Options		Dim. A		Dim B		Dim. C		Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	mm	inch	mm	inch	mm	inch	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		2	395264002	395264102	395264202	395264502	395264602	395264702	395269002	395269102	395269202	395269502	395269602	395269702	20.00	0.787	5.00	0.197	15.00	0.591	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		3	395264003	395264103	395264203	395264503	395264603	395264703	395269003	395269103	395269203	395269503	395269603	395269703	25.00	0.984	10.00	0.394	20.00	0.787	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		4	395264004	395264104	395264204	395264504	395264604	395264704	395269004	395269104	395269204	395269504	395269604	395269704	30.00	1.181	15.00	0.591	25.00	0.984	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		5	395264005	395264105	395264205	395264505	395264605	395264705	395269005	395269105	395269205	395269505	395269605	395269705	35.00	1.378	20.00	0.787	30.00	1.181	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		6	395264006	395264106	395264206	395264506	395264606	395264706	395269006	395269106	395269206	395269506	395269606	395269706	40.00	1.575	25.00	0.984	35.00	1.378	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		7	395264007	395264107	395264207	395264507	395264607	395264707	395269007	395269107	395269207	395269507	395269607	395269707	45.00	1.772	30.00	1.181	40.00	1.575	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		8	395264008	395264108	395264208	395264508	395264608	395264708	395269008	395269108	395269208	395269508	395269608	395269708	50.00	1.969	35.00	1.378	45.00	1.772	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		9	395264009	395264109	395264209	395264509	395264609	395264709	395269009	395269109	395269209	395269509	395269609	395269709	55.00	2.165	40.00	1.575	50.00	1.969	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		10	395264010	395264110	395264210	395264510	395264610	395264710	395269010	395269110	395269210	395269510	395269610	395269710	60.00	2.362	45.00	1.772	55.00	2.165	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		11	395264011	395264111	395264211	395264511	395264611	395264711	395269011	395269111	395269211	395269511	395269611	395269711	65.00	2.559	50.00	1.969	60.00	2.362	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		12	395264012	395264112	395264212	395264512	395264612	395264712	395269012	395269112	395269212	395269512	395269612	395269712	70.00	2.756	55.00	2.165	65.00	2.559	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		13	395264013	395264113	395264213	395264513	395264613	395264713	395269013	395269113	395269213	395269513	395269613	395269713	75.00	2.953	60.00	2.362	70.00	2.756	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		14	395264014	395264114	395264214	395264514	395264614	395264714	395269014	395269114	395269214	395269514	395269614	395269714	80.00	3.150	65.00	2.559	75.00	2.953	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		15	395264015	395264115	395264215	395264515	395264615	395264715	395269015	395269115	395269215	395269515	395269615	395269715	85.00	3.346	70.00	2.756	80.00	3.150	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		16	395264016	395264116	395264216	395264516	395264616	395264716	395269016	395269116	395269216	395269516	395269616	395269716	90.00	3.543	75.00	2.953	85.00	3.346	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		17	395264017	395264117	395264217	395264517	395264617	395264717	395269017	395269117	395269217	395269517	395269617	395269717	95.00	3.740	80.00	3.150	90.00	3.543	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		18	395264018	395264118	395264218	395264518	395264618	395264718	395269018	395269118	395269218	395269518	395269618	395269718	100.00	3.937	85.00	3.346	95.00	3.740	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		19	395264019	395264119	395264219	395264519	395264619	395264719	395269019	395269119	395269219	395269519	395269619	395269719	105.00	4.134	90.00	3.543	100.00	3.937	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		20	395264020	395264120	395264220	395264520	395264620	395264720	395269020	395269120	395269220	395269520	395269620	395269720	110.00	4.331	95.00	3.740	105.00	4.134	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		21	395264021	395264121	395264221	395264521	395264621	395264721	395269021	395269121	395269221	395269521	395269621	395269721	115.00	4.528	100.00	3.937	110.00	4.331	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		22	395264022	395264122	395264222	395264522	395264622	395264722	395269022	395269122	395269222	395269522	395269622	395269722	120.00	4.724	105.00	4.134	115.00	4.528	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		23	395264023	395264123	395264223	395264523	395264623	395264723	395269023	395269123	395269223	395269523	395269623	395269723	125.00	4.921	110.00	4.331	120.00	4.724	5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		24	395264024	395264124	395264224	395264524	395264624	395264724	395269024	395269124	395269224	395269524	395269624	395269724	130.00	5.118	115.00	4.528	125.00	4.921
		Material Numbers											Dimensional Information																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		Black						Green																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		100% Tin			30 u" Gold			100% Tin				30 u" Gold																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Printing Options			Printing Options			Printing Options			Printing Options		Dim. A		Dim B		Dim. C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	mm	inch	mm	inch	mm	inch																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		2	395264002	395264102	395264202	395264502	395264602	395264702	395269002	395269102	395269202	395269502	395269602	395269702	20.00	0.787	5.00	0.197	15.00	0.591																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		3	395264003	395264103	395264203	395264503	395264603	395264703	395269003	395269103	395269203	395269503	395269603	395269703	25.00	0.984	10.00	0.394	20.00	0.787																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		4	395264004	395264104	395264204	395264504	395264604	395264704	395269004	395269104	395269204	395269504	395269604	395269704	30.00	1.181	15.00	0.591	25.00	0.984																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		5	395264005	395264105	395264205	395264505	395264605	395264705	395269005	395269105	395269205	395269505	395269605	395269705	35.00	1.378	20.00	0.787	30.00	1.181																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		6	395264006	395264106	395264206	395264506	395264606	395264706	395269006	395269106	395269206	395269506	395269606	395269706	40.00	1.575	25.00	0.984	35.00	1.378																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		7	395264007	395264107	395264207	395264507	395264607	395264707	395269007	395269107	395269207	395269507	395269607	395269707	45.00	1.772	30.00	1.181	40.00	1.575																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		8	395264008	395264108	395264208	395264508	395264608	395264708	395269008	395269108	395269208	395269508	395269608	395269708	50.00	1.969	35.00	1.378	45.00	1.772																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		9	395264009	395264109	395264209	395264509	395264609	395264709	395269009	395269109	395269209	395269509	395269609	395269709	55.00	2.165	40.00	1.575	50.00	1.969																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		10	395264010	395264110	395264210	395264510	395264610	395264710	395269010	395269110	395269210	395269510	395269610	395269710	60.00	2.362	45.00	1.772	55.00	2.165																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		11	395264011	395264111	395264211	395264511	395264611	395264711	395269011	395269111	395269211	395269511	395269611	395269711	65.00	2.559	50.00	1.969	60.00	2.362																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		12	395264012	395264112	395264212	395264512	395264612	395264712	395269012	395269112	395269212	395269512	395269612	395269712	70.00	2.756	55.00	2.165	65.00	2.559																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		13	395264013	395264113	395264213	395264513	395264613	395264713	395269013	395269113	395269213	395269513	395269613	395269713	75.00	2.953	60.00	2.362	70.00	2.756																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		14	395264014	395264114	395264214	395264514	395264614	395264714	395269014	395269114	395269214	395269514	395269614	395269714	80.00	3.150	65.00	2.559	75.00	2.953																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		15	395264015	395264115	395264215	395264515	395264615	395264715	395269015	395269115	395269215	395269515	395269615	395269715	85.00	3.346	70.00	2.756	80.00	3.150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		16	395264016	395264116	395264216	395264516	395264616	395264716	395269016	395269116	395269216	395269516	395269616	395269716	90.00	3.543	75.00	2.953	85.00	3.346																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		17	395264017	395264117	395264217	395264517	395264617	395264717	395269017	395269117	395269217	395269517	395269617	395269717	95.00	3.740	80.00	3.150	90.00	3.543																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		18	395264018	395264118	395264218	395264518	395264618	395264718	395269018	395269118	395269218	395269518	395269618	395269718	100.00	3.937	85.00	3.346	95.00	3.740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		19	395264019	395264119	395264219	395264519	395264619	395264719	395269019	395269119	395269219	395269519	395269619	395269719	105.00	4.134	90.00	3.543	100.00	3.937																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		20	395264020	395264120	395264220	395264520	395264620	395264720	395269020	395269120	395269220	395269520	395269620	395269720	110.00	4.331	95.00	3.740	105.00	4.134																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		21	395264021	395264121	395264221	395264521	395264621	395264721	395269021	395269121	395269221	395269521	395269621	395269721	115.00	4.528	100.00	3.937	110.00	4.331																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		22	395264022	395264122	395264222	395264522	395264622	395264722	395269022	395269122	395269222	395269522	395269622	395269722	120.00	4.724	105.00	4.134	115.00	4.528																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		23	395264023	395264123	395264223	395264523	395264623	395264723	395269023	395269123	395269223	395269523	395269623	395269723	125.00	4.921	110.00	4.331	120.00	4.724																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5.0mm, Euro Header, Right Angle, Mounting Ends, High Temp		24	395264024	395264124	395264224	395264524	395264624	395264724	395269024	395269124	395269224	395269524	395269624	395269724	130.00	5.118	115.00	4.528	125.00	4.921																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: NE02006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR:J.PAWLIK 2006/01/10</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0</td><td rowspan="5">DESCRIPTION</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE 4:1</td><td>DESIGN UNITS INCH</td><td rowspan="5"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">SIZE B</td><td>4 PLACES ± ---</td><td>mm</td><td>INCH</td><td colspan="2">DRAWN BY LROTHAUS</td><td rowspan="4">TITLE 5.0MM, EURO HEADER, RIGH ANGLE, HI-TEMP MOUNTING</td></tr><tr><td>3 PLACES ± 0.038</td><td colspan="2">DATE 12/6/05</td><td rowspan="3">CHECKED BY C. YORK</td></tr><tr><td>2 PLACES ± 0.13</td><td colspan="2">DATE 01/04/06</td></tr><tr><td>1 PLACE ± 0.3</td><td colspan="2">DATE</td></tr><tr><td colspan="2">ANGULAR ± 2 °</td><td colspan="2">APPROVED BY</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td rowspan="2">SHEET NO. 2 OF 2</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-39526-001</td></tr><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SEE SHEET 1 EC NO: NE02006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR:J.PAWLIK 2006/01/10	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	SIZE B	4 PLACES ± ---	mm	INCH	DRAWN BY LROTHAUS		TITLE 5.0MM, EURO HEADER, RIGH ANGLE, HI-TEMP MOUNTING	3 PLACES ± 0.038	DATE 12/6/05		CHECKED BY C. YORK	2 PLACES ± 0.13	DATE 01/04/06		1 PLACE ± 0.3	DATE		ANGULAR ± 2 °		APPROVED BY		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39526-001		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
SEE SHEET 1 EC NO: NE02006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR:J.PAWLIK 2006/01/10	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			SIZE B	4 PLACES ± ---	mm	INCH	DRAWN BY LROTHAUS						TITLE 5.0MM, EURO HEADER, RIGH ANGLE, HI-TEMP MOUNTING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				3 PLACES ± 0.038	DATE 12/6/05		CHECKED BY C. YORK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				2 PLACES ± 0.13	DATE 01/04/06																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				1 PLACE ± 0.3	DATE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
ANGULAR ± 2 °		APPROVED BY		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39526-001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
ib_frame_B_P_ME_T Rev. D 2004/04/02	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

SEE SHEET 1

EC NO: NEC02006-0310

DRWN: LROTHAUS

CHKD: CYORK

APPR: JPAWLI CK

2006/01/09

2006/01/09

2006/01/10

DESCRIPTION

REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ±.0015

3 PLACES ± 0.038 ±.005

2 PLACES ± 0.13 ±.01

1 PLACE ± 0.3 ± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM/IN

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

SCALE

4:1

DESIGN UNITS

INCH

THIRD ANGLE PROJECTION

TITLE

5.0MM, EURO HEADER,
RIGH ANGLE, HI-TEMP
MOUNTING

MATERIAL NO.

SEE CHART

DOCUMENT NO.

SD-39526-001

SHEET NO.

2 OF 2

SIZE

B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION