

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0395320003](#)
Status: **Active**
Description: 5.08mm (.200") Pitch Eurostyle™ Horizontal PCB Header, Open Ends, 3 Circuits

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)

[Product Specification PS-39500-001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Terminal Blocks
Series	39532
Application	Wire-to-Board
Component Type	PCB Header
Product Literature Order No	USA-355
Product Name	ESE, Eurostyle™ Pluggable
Type	Euro Block

Physical

Circuits (Loaded)	3
Entry Angle	N/A
Lock to Mating Part	Yes
Number of Rows	1
Orientation	Horizontal
PC Tail Length (in)	0.200 In
PC Tail Length (mm)	5.08 mm
PCB Thickness Recommended (in)	0.125 In
PCB Thickness Recommended (mm)	5.08 mm
Panel Mount	No
Pitch - Mating Interface (in)	0.200 In
Pitch - Mating Interface (mm)	5.08 mm
Polarized to Mating Part	Yes
Shrouded	Open Ends
Stackable	No
Surface Mount Compatible (SMC)	N/A
Temperature Range - Operating	-40°C to +105°C
Wire Size AWG	N/A


Electrical

Current - Maximum per Contact	15A
Voltage - Maximum	300V

Material Info

Reference - Drawing Numbers

Product Specification	PS-39500-001
Sales Drawing	SD-39501-002, SD-39532-003



EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**


Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.


Search Parts in this Series
[39532Series](#)

Mates With
[39530](#) Horizontal Plug, [39533](#) Vertical
Plug, Most 5.08mm (.200") Pitch Industry
Standard Plugs


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION




3950X SERIES
3.50mm HEADERS




3952X & 3954X SERIES
5.00mm HEADERS
5.00mm 10 AMP FIXED




3953X SERIES
5.08mm HEADERS




3951X SERIES
3.81mm HEADERS



3954X SERIES
5.00mm 15 AMP FIXED



3954X SERIES
5.08mm 15 AMP FIXED



- NOTES:
1. REFER TO INDIVIDUAL PRODUCT SALES DRAWINGS FOR "B" DIMENSION.
 2. DOES NOT APPLY TO DUAL LEVEL HEADERS, SERIES 39528 AND 39538.
 3. TYP. = TYPICAL.


INITIAL RELEASE	EC NO: ETC2007-0096	2006/10/02
	DRWN: CLYORK	2006/10/04
	CHKD: JMACNEIL	2006/10/04
	APPR: JMACNEIL	2006/10/04
A		

QUALITY SYMBOLS
=0
=0
DESCRIPTION
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM/IN	
DRAWN BY	DATE
C. YORK	2006/08/25
CHECKED BY	DATE
J. MACNEIL	2006/08/25
APPROVED BY	DATE
J. MACNEIL	2006/08/25
MATERIAL NO.	---
SIZE	B

SCALE	3:1
DESIGN UNITS	INCH
THIRD ANGLE PROJECTION	
RECOMMENDED PCB LAYOUT FOR ESE TERMINAL BLOCKS	
MOLEX INCORPORATED	
DOCUMENT NO.	SD-39501-002
SHEET NO.	1 OF 1
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	



SPECIFICATIONS:

- Material:
 - Body: PA66
 - Pin: Brass
- Wire range: N/A
- Electrical rating: 300V, 15A.
- Wire strip length: N/A
- Operating temperature: -40C to +105C.
- Max torque: N/A
- Insulation resistance: DC 500V, 500M.
- Dielectric withstand: AC 2500V for 1 minute.
- Breakdown voltage: 4000V.
- $A = (N \times P)$
- $B = (N - 1) \times P$
- P (PITCH) = 5.08mm (.200").
- N = Number of positions available 2 through 24.

ENTER DESCRIPTION EC NO: NEO2006-0310 DRWN: LROTHAUS 2006/01/09 CHKD: CYORK 2006/01/09 APPR: JPANLICK 2006/01/10		DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
						MM/IN		4:1	INCH		
A		REV				DRAWN BY DATE		TITLE 5.08MM, EURO HEADER, RIGHT ANGLE, OPEN END			
						LROTHAUS 12/6/05					
						CHECKED BY DATE		MOLEX INCORPORATED			
						C. YORK 01/06/06					
						APPROVED BY DATE					
		ANGULAR ± 2 °									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
						SEE CHART		SD-39532-003		1 OF 1	
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
F									F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
E									E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
D									D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
C									C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
B									B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A									A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table><tr><th colspan="2" rowspan="4"></th><th colspan="11">Material Numbers</th><th colspan="4" rowspan="4">Dimensional Information</th></tr><tr><th colspan="6">Black</th><th colspan="5">Green</th></tr><tr><th colspan="3">100% Tin</th><th colspan="3">30 u" Gold</th><th colspan="3">100% Tin</th><th colspan="2">30 u" Gold</th></tr><tr><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="3">Printing Options</th><th colspan="2">Printing Options</th></tr><tr><th colspan="2">Description</th><th>Circuit size</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th>None</th><th>10A</th><th>11A</th><th colspan="2">Dim. A</th><th colspan="2">Dim B</th></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>2</td><td>395320002</td><td>395320102</td><td>395320202</td><td>395320502</td><td>395320602</td><td>395320702</td><td>395325002</td><td>395325102</td><td>395325202</td><td>395325502</td><td>395325602</td><td>395325702</td><td>10.16</td><td>0.400</td><td>5.08</td><td>0.200</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>3</td><td>395320003</td><td>395320103</td><td>395320203</td><td>395320503</td><td>395320603</td><td>395320703</td><td>395325003</td><td>395325103</td><td>395325203</td><td>395325503</td><td>395325603</td><td>395325703</td><td>15.24</td><td>0.600</td><td>10.16</td><td>0.400</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>4</td><td>395320004</td><td>395320104</td><td>395320204</td><td>395320504</td><td>395320604</td><td>395320704</td><td>395325004</td><td>395325104</td><td>395325204</td><td>395325504</td><td>395325604</td><td>395325704</td><td>20.32</td><td>0.800</td><td>15.24</td><td>0.600</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>5</td><td>395320005</td><td>395320105</td><td>395320205</td><td>395320505</td><td>395320605</td><td>395320705</td><td>395325005</td><td>395325105</td><td>395325205</td><td>395325505</td><td>395325605</td><td>395325705</td><td>25.40</td><td>1.000</td><td>20.32</td><td>0.800</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>6</td><td>395320006</td><td>395320106</td><td>395320206</td><td>395320506</td><td>395320606</td><td>395320706</td><td>395325006</td><td>395325106</td><td>395325206</td><td>395325506</td><td>395325606</td><td>395325706</td><td>30.48</td><td>1.200</td><td>25.40</td><td>1.000</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>7</td><td>395320007</td><td>395320107</td><td>395320207</td><td>395320507</td><td>395320607</td><td>395320707</td><td>395325007</td><td>395325107</td><td>395325207</td><td>395325507</td><td>395325607</td><td>395325707</td><td>35.56</td><td>1.400</td><td>30.48</td><td>1.200</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>8</td><td>395320008</td><td>395320108</td><td>395320208</td><td>395320508</td><td>395320608</td><td>395320708</td><td>395325008</td><td>395325108</td><td>395325208</td><td>395325508</td><td>395325608</td><td>395325708</td><td>40.64</td><td>1.600</td><td>35.56</td><td>1.400</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>9</td><td>395320009</td><td>395320109</td><td>395320209</td><td>395320509</td><td>395320609</td><td>395320709</td><td>395325009</td><td>395325109</td><td>395325209</td><td>395325509</td><td>395325609</td><td>395325709</td><td>45.72</td><td>1.800</td><td>40.64</td><td>1.600</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>10</td><td>395320010</td><td>395320110</td><td>395320210</td><td>395320510</td><td>395320610</td><td>395320710</td><td>395325010</td><td>395325110</td><td>395325210</td><td>395325510</td><td>395325610</td><td>395325710</td><td>50.80</td><td>2.000</td><td>45.72</td><td>1.800</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>11</td><td>395320011</td><td>395320111</td><td>395320211</td><td>395320511</td><td>395320611</td><td>395320711</td><td>395325011</td><td>395325111</td><td>395325211</td><td>395325511</td><td>395325611</td><td>395325711</td><td>55.88</td><td>2.200</td><td>50.80</td><td>2.000</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>12</td><td>395320012</td><td>395320112</td><td>395320212</td><td>395320512</td><td>395320612</td><td>395320712</td><td>395325012</td><td>395325112</td><td>395325212</td><td>395325512</td><td>395325612</td><td>395325712</td><td>60.96</td><td>2.400</td><td>55.88</td><td>2.200</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>13</td><td>395320013</td><td>395320113</td><td>395320213</td><td>395320513</td><td>395320613</td><td>395320713</td><td>395325013</td><td>395325113</td><td>395325213</td><td>395325513</td><td>395325613</td><td>395325713</td><td>66.04</td><td>2.600</td><td>60.96</td><td>2.400</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>14</td><td>395320014</td><td>395320114</td><td>395320214</td><td>395320514</td><td>395320614</td><td>395320714</td><td>395325014</td><td>395325114</td><td>395325214</td><td>395325514</td><td>395325614</td><td>395325714</td><td>71.12</td><td>2.800</td><td>66.04</td><td>2.600</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>15</td><td>395320015</td><td>395320115</td><td>395320215</td><td>395320515</td><td>395320615</td><td>395320715</td><td>395325015</td><td>395325115</td><td>395325215</td><td>395325515</td><td>395325615</td><td>395325715</td><td>76.20</td><td>3.000</td><td>71.12</td><td>2.800</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>16</td><td>395320016</td><td>395320116</td><td>395320216</td><td>395320516</td><td>395320616</td><td>395320716</td><td>395325016</td><td>395325116</td><td>395325216</td><td>395325516</td><td>395325616</td><td>395325716</td><td>81.28</td><td>3.200</td><td>76.20</td><td>3.000</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>17</td><td>395320017</td><td>395320117</td><td>395320217</td><td>395320517</td><td>395320617</td><td>395320717</td><td>395325017</td><td>395325117</td><td>395325217</td><td>395325517</td><td>395325617</td><td>395325717</td><td>86.36</td><td>3.400</td><td>81.28</td><td>3.200</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>18</td><td>395320018</td><td>395320118</td><td>395320218</td><td>395320518</td><td>395320618</td><td>395320718</td><td>395325018</td><td>395325118</td><td>395325218</td><td>395325518</td><td>395325618</td><td>395325718</td><td>91.44</td><td>3.600</td><td>86.36</td><td>3.400</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>19</td><td>395320019</td><td>395320119</td><td>395320219</td><td>395320519</td><td>395320619</td><td>395320719</td><td>395325019</td><td>395325119</td><td>395325219</td><td>395325519</td><td>395325619</td><td>395325719</td><td>96.52</td><td>3.800</td><td>91.44</td><td>3.600</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>20</td><td>395320020</td><td>395320120</td><td>395320220</td><td>395320520</td><td>395320620</td><td>395320720</td><td>395325020</td><td>395325120</td><td>395325220</td><td>395325520</td><td>395325620</td><td>395325720</td><td>101.60</td><td>4.000</td><td>96.52</td><td>3.800</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>21</td><td>395320021</td><td>395320121</td><td>395320221</td><td>395320521</td><td>395320621</td><td>395320721</td><td>395325021</td><td>395325121</td><td>395325221</td><td>395325521</td><td>395325621</td><td>395325721</td><td>106.68</td><td>4.200</td><td>101.60</td><td>4.000</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>22</td><td>395320022</td><td>395320122</td><td>395320222</td><td>395320522</td><td>395320622</td><td>395320722</td><td>395325022</td><td>395325122</td><td>395325222</td><td>395325522</td><td>395325622</td><td>395325722</td><td>111.76</td><td>4.400</td><td>106.68</td><td>4.200</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>23</td><td>395320023</td><td>395320123</td><td>395320223</td><td>395320523</td><td>395320623</td><td>395320723</td><td>395325023</td><td>395325123</td><td>395325223</td><td>395325523</td><td>395325623</td><td>395325723</td><td>116.84</td><td>4.600</td><td>111.76</td><td>4.400</td></tr><tr><td colspan="2">5.08mm, Euro Header, Right Angle, Open End</td><td>24</td><td>395320024</td><td>395320124</td><td>395320224</td><td>395320524</td><td>395320624</td><td>395320724</td><td>395325024</td><td>395325124</td><td>395325224</td><td>395325524</td><td>395325624</td><td>395325724</td><td>121.92</td><td>4.800</td><td>116.84</td><td>4.600</td></tr></table>												Material Numbers											Dimensional Information				Black						Green					100% Tin			30 u" Gold			100% Tin			30 u" Gold		Printing Options			Printing Options			Printing Options			Printing Options		Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	Dim. A		Dim B		5.08mm, Euro Header, Right Angle, Open End		2	395320002	395320102	395320202	395320502	395320602	395320702	395325002	395325102	395325202	395325502	395325602	395325702	10.16	0.400	5.08	0.200	5.08mm, Euro Header, Right Angle, Open End		3	395320003	395320103	395320203	395320503	395320603	395320703	395325003	395325103	395325203	395325503	395325603	395325703	15.24	0.600	10.16	0.400	5.08mm, Euro Header, Right Angle, Open End		4	395320004	395320104	395320204	395320504	395320604	395320704	395325004	395325104	395325204	395325504	395325604	395325704	20.32	0.800	15.24	0.600	5.08mm, Euro Header, Right Angle, Open End		5	395320005	395320105	395320205	395320505	395320605	395320705	395325005	395325105	395325205	395325505	395325605	395325705	25.40	1.000	20.32	0.800	5.08mm, Euro Header, Right Angle, Open End		6	395320006	395320106	395320206	395320506	395320606	395320706	395325006	395325106	395325206	395325506	395325606	395325706	30.48	1.200	25.40	1.000	5.08mm, Euro Header, Right Angle, Open End		7	395320007	395320107	395320207	395320507	395320607	395320707	395325007	395325107	395325207	395325507	395325607	395325707	35.56	1.400	30.48	1.200	5.08mm, Euro Header, Right Angle, Open End		8	395320008	395320108	395320208	395320508	395320608	395320708	395325008	395325108	395325208	395325508	395325608	395325708	40.64	1.600	35.56	1.400	5.08mm, Euro Header, Right Angle, Open End		9	395320009	395320109	395320209	395320509	395320609	395320709	395325009	395325109	395325209	395325509	395325609	395325709	45.72	1.800	40.64	1.600	5.08mm, Euro Header, Right Angle, Open End		10	395320010	395320110	395320210	395320510	395320610	395320710	395325010	395325110	395325210	395325510	395325610	395325710	50.80	2.000	45.72	1.800	5.08mm, Euro Header, Right Angle, Open End		11	395320011	395320111	395320211	395320511	395320611	395320711	395325011	395325111	395325211	395325511	395325611	395325711	55.88	2.200	50.80	2.000	5.08mm, Euro Header, Right Angle, Open End		12	395320012	395320112	395320212	395320512	395320612	395320712	395325012	395325112	395325212	395325512	395325612	395325712	60.96	2.400	55.88	2.200	5.08mm, Euro Header, Right Angle, Open End		13	395320013	395320113	395320213	395320513	395320613	395320713	395325013	395325113	395325213	395325513	395325613	395325713	66.04	2.600	60.96	2.400	5.08mm, Euro Header, Right Angle, Open End		14	395320014	395320114	395320214	395320514	395320614	395320714	395325014	395325114	395325214	395325514	395325614	395325714	71.12	2.800	66.04	2.600	5.08mm, Euro Header, Right Angle, Open End		15	395320015	395320115	395320215	395320515	395320615	395320715	395325015	395325115	395325215	395325515	395325615	395325715	76.20	3.000	71.12	2.800	5.08mm, Euro Header, Right Angle, Open End		16	395320016	395320116	395320216	395320516	395320616	395320716	395325016	395325116	395325216	395325516	395325616	395325716	81.28	3.200	76.20	3.000	5.08mm, Euro Header, Right Angle, Open End		17	395320017	395320117	395320217	395320517	395320617	395320717	395325017	395325117	395325217	395325517	395325617	395325717	86.36	3.400	81.28	3.200	5.08mm, Euro Header, Right Angle, Open End		18	395320018	395320118	395320218	395320518	395320618	395320718	395325018	395325118	395325218	395325518	395325618	395325718	91.44	3.600	86.36	3.400	5.08mm, Euro Header, Right Angle, Open End		19	395320019	395320119	395320219	395320519	395320619	395320719	395325019	395325119	395325219	395325519	395325619	395325719	96.52	3.800	91.44	3.600	5.08mm, Euro Header, Right Angle, Open End		20	395320020	395320120	395320220	395320520	395320620	395320720	395325020	395325120	395325220	395325520	395325620	395325720	101.60	4.000	96.52	3.800	5.08mm, Euro Header, Right Angle, Open End		21	395320021	395320121	395320221	395320521	395320621	395320721	395325021	395325121	395325221	395325521	395325621	395325721	106.68	4.200	101.60	4.000	5.08mm, Euro Header, Right Angle, Open End		22	395320022	395320122	395320222	395320522	395320622	395320722	395325022	395325122	395325222	395325522	395325622	395325722	111.76	4.400	106.68	4.200	5.08mm, Euro Header, Right Angle, Open End		23	395320023	395320123	395320223	395320523	395320623	395320723	395325023	395325123	395325223	395325523	395325623	395325723	116.84	4.600	111.76	4.400	5.08mm, Euro Header, Right Angle, Open End		24	395320024	395320124	395320224	395320524	395320624	395320724	395325024	395325124	395325224	395325524	395325624	395325724	121.92	4.800	116.84	4.600
		Material Numbers											Dimensional Information																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Black						Green																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		100% Tin			30 u" Gold			100% Tin				30 u" Gold																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Printing Options			Printing Options			Printing Options			Printing Options																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Description		Circuit size	None	10A	11A	None	10A	11A	None	10A	11A	None	10A	11A	Dim. A		Dim B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
5.08mm, Euro Header, Right Angle, Open End		2	395320002	395320102	395320202	395320502	395320602	395320702	395325002	395325102	395325202	395325502	395325602	395325702	10.16	0.400	5.08	0.200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		3	395320003	395320103	395320203	395320503	395320603	395320703	395325003	395325103	395325203	395325503	395325603	395325703	15.24	0.600	10.16	0.400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		4	395320004	395320104	395320204	395320504	395320604	395320704	395325004	395325104	395325204	395325504	395325604	395325704	20.32	0.800	15.24	0.600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		5	395320005	395320105	395320205	395320505	395320605	395320705	395325005	395325105	395325205	395325505	395325605	395325705	25.40	1.000	20.32	0.800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		6	395320006	395320106	395320206	395320506	395320606	395320706	395325006	395325106	395325206	395325506	395325606	395325706	30.48	1.200	25.40	1.000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		7	395320007	395320107	395320207	395320507	395320607	395320707	395325007	395325107	395325207	395325507	395325607	395325707	35.56	1.400	30.48	1.200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		8	395320008	395320108	395320208	395320508	395320608	395320708	395325008	395325108	395325208	395325508	395325608	395325708	40.64	1.600	35.56	1.400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		9	395320009	395320109	395320209	395320509	395320609	395320709	395325009	395325109	395325209	395325509	395325609	395325709	45.72	1.800	40.64	1.600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		10	395320010	395320110	395320210	395320510	395320610	395320710	395325010	395325110	395325210	395325510	395325610	395325710	50.80	2.000	45.72	1.800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		11	395320011	395320111	395320211	395320511	395320611	395320711	395325011	395325111	395325211	395325511	395325611	395325711	55.88	2.200	50.80	2.000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		12	395320012	395320112	395320212	395320512	395320612	395320712	395325012	395325112	395325212	395325512	395325612	395325712	60.96	2.400	55.88	2.200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		13	395320013	395320113	395320213	395320513	395320613	395320713	395325013	395325113	395325213	395325513	395325613	395325713	66.04	2.600	60.96	2.400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		14	395320014	395320114	395320214	395320514	395320614	395320714	395325014	395325114	395325214	395325514	395325614	395325714	71.12	2.800	66.04	2.600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		15	395320015	395320115	395320215	395320515	395320615	395320715	395325015	395325115	395325215	395325515	395325615	395325715	76.20	3.000	71.12	2.800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		16	395320016	395320116	395320216	395320516	395320616	395320716	395325016	395325116	395325216	395325516	395325616	395325716	81.28	3.200	76.20	3.000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		17	395320017	395320117	395320217	395320517	395320617	395320717	395325017	395325117	395325217	395325517	395325617	395325717	86.36	3.400	81.28	3.200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		18	395320018	395320118	395320218	395320518	395320618	395320718	395325018	395325118	395325218	395325518	395325618	395325718	91.44	3.600	86.36	3.400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		19	395320019	395320119	395320219	395320519	395320619	395320719	395325019	395325119	395325219	395325519	395325619	395325719	96.52	3.800	91.44	3.600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		20	395320020	395320120	395320220	395320520	395320620	395320720	395325020	395325120	395325220	395325520	395325620	395325720	101.60	4.000	96.52	3.800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		21	395320021	395320121	395320221	395320521	395320621	395320721	395325021	395325121	395325221	395325521	395325621	395325721	106.68	4.200	101.60	4.000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		22	395320022	395320122	395320222	395320522	395320622	395320722	395325022	395325122	395325222	395325522	395325622	395325722	111.76	4.400	106.68	4.200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		23	395320023	395320123	395320223	395320523	395320623	395320723	395325023	395325123	395325223	395325523	395325623	395325723	116.84	4.600	111.76	4.400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.08mm, Euro Header, Right Angle, Open End		24	395320024	395320124	395320224	395320524	395320624	395320724	395325024	395325124	395325224	395325524	395325624	395325724	121.92	4.800	116.84	4.600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
B									B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A									A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: NEO2006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR: J.PAWLI CK 2006/01/10</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE 4:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">4 PLACES ± --- 3 PLACES ± 0.038 2 PLACES ± 0.13 1 PLACE ± 0.3</td><td colspan="2">mm INCH ± .0015 ± .005 ± .01 ± ---</td><td colspan="2">DRAWN BY DATE LROTHAUS 12/6/05</td><td colspan="2">TITLE 5.08MM, EURO HEADER, RIGHT ANGLE, OPEN END</td></tr><tr><td colspan="2">ANGULAR ± 2 °</td><td colspan="2"></td><td colspan="2">CHECKED BY DATE C. YORK 01/05/06</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">APPROVED BY DATE</td><td colspan="2"></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO. SD-39532-003</td><td colspan="2">SHEET NO. 2 OF 2</td></tr><tr><td colspan="2">A</td><td colspan="2">B</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SEE SHEET 1 EC NO: NEO2006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR: J.PAWLI CK 2006/01/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES ± --- 3 PLACES ± 0.038 2 PLACES ± 0.13 1 PLACE ± 0.3		mm INCH ± .0015 ± .005 ± .01 ± ---		DRAWN BY DATE LROTHAUS 12/6/05		TITLE 5.08MM, EURO HEADER, RIGHT ANGLE, OPEN END		ANGULAR ± 2 °				CHECKED BY DATE C. YORK 01/05/06								APPROVED BY DATE				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		MATERIAL NO.		DOCUMENT NO. SD-39532-003		SHEET NO. 2 OF 2		A		B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
SEE SHEET 1 EC NO: NEO2006-0310 DRWN:J.ROTHAUS 2006/01/09 CHKD:C.YORK 2006/01/09 APPR: J.PAWLI CK 2006/01/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		4 PLACES ± --- 3 PLACES ± 0.038 2 PLACES ± 0.13 1 PLACE ± 0.3		mm INCH ± .0015 ± .005 ± .01 ± ---		DRAWN BY DATE LROTHAUS 12/6/05		TITLE 5.08MM, EURO HEADER, RIGHT ANGLE, OPEN END																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		ANGULAR ± 2 °				CHECKED BY DATE C. YORK 01/05/06																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
						APPROVED BY DATE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		MATERIAL NO.		DOCUMENT NO. SD-39532-003		SHEET NO. 2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
A		B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ib_frame_B_P_ME_T Rev. D 2004/04/02	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

SEE SHEET 1

EC NO: NEC02006-0310

DRWN: LROTHAUS

CHKD: CYORK

APPR: JPAWLIK

2006/01/09

2006/01/09

2006/01/10

DESCRIPTION

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ±.0015

3 PLACES ± 0.038 ±.005

2 PLACES ± 0.13 ±.01

1 PLACE ± 0.3 ± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM/IN

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

MATERIAL NO.

SEE CHART

SIZE

B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

4:1

DESIGN UNITS

INCH

THIRD ANGLE PROJECTION

TITLE

5.08MM, EURO HEADER, RIGHT ANGLE, OPEN END

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.

SD-39532-003

SHEET NO.

2 OF 2