

PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION

**Part Number:** [0010894066](#)  
**Status:** **Active**  
**Description:** 2.54mm (.100") Pitch C-Grid® Breakaway Header, High Profile, Dual Row, Right Angle, 6 Circuits, 6.10mm (.240") Mating Pin Length, 0.76µm (30µ") Gold (Au) Selective Plating

**Documents:**

|                                               |                                                      |
|-----------------------------------------------|------------------------------------------------------|
| <a href="#">3D Model</a>                      | <a href="#">Product Specification PS-70216 (PDF)</a> |
| <a href="#">Packaging Specification (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                 |                                                      |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |

**General**

|                |                               |
|----------------|-------------------------------|
| Product Family | PCB Headers                   |
| Series         | <a href="#">70216</a>         |
| Application    | Board-to-Board, Wire-to-Board |
| Product Name   | C-Grid®                       |

**Physical**

|                                |                        |
|--------------------------------|------------------------|
| Breakaway                      | Yes                    |
| Circuits (Loaded)              | 6                      |
| Circuits (maximum)             | 6                      |
| Durability (mating cycles max) | 50                     |
| Flammability                   | 94V-0                  |
| Glow-Wire Compliant            | No                     |
| Lock to Mating Part            | None                   |
| Material - Metal               | Brass, Phosphor Bronze |
| Material - Plating Mating      | Gold                   |
| Material - Plating Termination | Tin                    |
| Number of Rows                 | 2                      |
| Orientation                    | Right Angle            |
| PC Tail Length (in)            | 0.110 In               |
| PC Tail Length (mm)            | 2.79 mm                |
| PCB Locator                    | No                     |
| PCB Retention                  | None                   |
| Packaging Type                 | Tube                   |
| Pitch - Mating Interface (in)  | 0.100 In               |
| Pitch - Mating Interface (mm)  | 2.54 mm                |
| Plating min: Mating (µin)      | 30                     |
| Plating min: Mating (µm)       | 0.75                   |
| Plating min: Termination (µin) | 75                     |
| Plating min: Termination (µm)  | 1.875                  |
| Polarized to Mating Part       | No                     |
| Polarized to PCB               | No                     |
| Shrouded                       | No                     |
| Stackable                      | Yes                    |
| Temperature Range - Operating  | -40°C to +105°C        |
| Termination Interface: Style   | Through Hole           |

**Electrical**

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 3A   |
| Voltage - Maximum             | 250V |

**Solder Process Data**




image - Reference only

**EU RoHS**

**ELV and RoHS  
Compliant**  
**REACH SVHC**  
**Contains SVHC: No**  
**Halogen-Free**  
**Status**

**China RoHS**



**Not Reviewed**

**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of  
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any  
non-product compliance questions.

**Search Parts in this Series**  
[70216Series](#)

|                                                |                        |
|------------------------------------------------|------------------------|
| Duration at Max. Process Temperature (seconds) | 5                      |
| Lead-free Process Capability                   | Wave Capable (TH only) |
| Max. Cycles at Max. Process Temperature        | 1                      |
| Process Temperature max. C                     | 235                    |

**Material Info**

|                 |            |
|-----------------|------------|
| Old Part Number | 70216-0392 |
|-----------------|------------|



**Reference - Drawing Numbers**

|                       |              |
|-----------------------|--------------|
| Product Specification | PS-70216     |
| Sales Drawing         | SD-70216-001 |



This document was generated on 03/29/2010

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

| CKT.<br>SIZE | DIM. A |       | DIM. B |       |
|--------------|--------|-------|--------|-------|
|              | MM     | INCH  | MM     | INCH  |
| 04           | 4.83   | .190  | 2.54   | .100  |
| 06           | 7.37   | .290  | 5.08   | .200  |
| 08           | 9.91   | .390  | 7.62   | .300  |
| 10           | 12.45  | .490  | 10.16  | .400  |
| 12           | 14.99  | .590  | 12.70  | .500  |
| 14           | 17.53  | .690  | 15.24  | .600  |
| 16           | 20.07  | .790  | 17.78  | .700  |
| 18           | 22.61  | .890  | 20.32  | .800  |
| 20           | 25.15  | .990  | 22.86  | .900  |
| 22           | 27.69  | 1.090 | 25.40  | 1.000 |
| 24           | 30.23  | 1.190 | 27.94  | 1.100 |
| 26           | 32.77  | 1.290 | 30.48  | 1.200 |
| 28           | 35.31  | 1.390 | 33.02  | 1.300 |
| 30           | 37.85  | 1.490 | 35.56  | 1.400 |



**RECOMMENDED P.C. BOARD HOLE LAYOUT**



**NOTES:**

- MATERIAL: WAFER - GLASS FILLED, POLYESTER, 94V-0, COLOR: BLACK.  
PINS - PHOS. BRONZE.
- FINISH:  
TIN - 0.00381/0.000150 MINIMUM TIN OVER 0.00127/0.000050 MINIMUM NICKEL OVERALL.  
15 GOLD - 0.00038/0.000015 MINIMUM GOLD PLATE IN SELECTED AREA AND  
0.00191/0.000075 MINIMUM TIN IN SELECTED AREA OVER 0.00127/0.000050  
MINIMUM NICKEL OVERALL.  
30 GOLD - 0.00076/0.000030 MINIMUM GOLD PLATE IN SELECTED AREA AND  
0.00191/0.000075 MINIMUM TIN IN SELECTED AREA OVER 0.00121/0.000050  
MINIMUM NICKEL OVERALL.
- PRODUCT SPECIFICATION: PS-70216.
- PACKAGING SPECIFICATION: FOR 4, THROUGH 8 CIRCUIT PARTS US PK-70873-0353.  
FOR 10 CIRCUITS AND OVER USE PK-70873-0075.
- PIN PUSHOUT FORCE: 4 LBS. MINIMUM.
- FOR ILLUSTRATION PURPOSES, 20 (DUAL 10) CIRCUIT SIZE WAFER IS SHOWN.
- PINS MUST MEET SOLDERABILITY SPEC. NO. 152.
- WAFER TO BE FLAT WITHIN (0.03 MM/CM) OR .003 IN./IN.
- FOR ASSEMBLIES WITH VOIDED PINS, CONTACT MOLEX SALES REPRESENTATIVE.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF  
COSMETIC SPECIFICATION PS-45499-002.

|     |    |
|-----|----|
| 2-X | A1 |
| 1   | A1 |

SHT. REV.

| ADD NOTE 10<br>EC NO: UCP2007-1509<br>DRAWN BY: DER<br>CHKD: ADERR<br>APPR: FSI TH<br>A1 | DESCRIPTION<br>2006/12/19<br>2006/12/19<br>2006/12/20 | QUALITY<br>SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                         |        | DIMENSION STYLE<br>MM/IN |            | SCALE<br>4:1 | DESIGN UNITS<br>INCH | THIRD ANGLE<br>PROJECTION | TITLE<br>RT. ANG. WAFER ASS'Y<br>2.54/.100 GRID, DUAL ROW<br>BREAKAWAY 0.64/.025 PINS | MATERIAL NO.<br>SD-70216-001 | DOCUMENT NO.<br>SD-70216-001 | SHEET NO.<br>1 OF * |
|------------------------------------------------------------------------------------------|-------------------------------------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------|--------------------------|------------|--------------|----------------------|---------------------------|---------------------------------------------------------------------------------------|------------------------------|------------------------------|---------------------|
|                                                                                          |                                                       |                                  | mm                                                                                                                               | INCH   | DRAWN BY                 | DATE       |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | 4 PLACES ± ---                                                                                                                   | ± ---  | RCB                      | 1994/05/18 |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | 3 PLACES ± ---                                                                                                                   | ± .005 | CHECKED BY               | DATE       |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | 2 PLACES ± 0.13                                                                                                                  | ± .01  | APPROVED BY              | DATE       |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | 1 PLACE ± 0.25                                                                                                                   | ± ---  |                          |            |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | ANGULAR ±1/2°                                                                                                                    |        |                          |            |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                       |        | SEE CHART                |            |              |                      |                           |                                                                                       |                              |                              |                     |
|                                                                                          |                                                       |                                  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |        |                          |            |              |                      |                           |                                                                                       |                              |                              |                     |

| ENG. NO: A-70216-0079/0092 |                      |              | ENG. NO: A-70216-0118/0131 |                      |              | ENG. NO: A-70216-0235/0248 |                      |              |
|----------------------------|----------------------|--------------|----------------------------|----------------------|--------------|----------------------------|----------------------|--------------|
| DIM. C                     | (6.10)/.240          |              | DIM. C                     | (8.13)/.320          |              | DIM. C                     | (6.10)/.240          |              |
| DIM. E (REF.)              | (2.79)/.110          |              | DIM. E (REF.)              | (2.79)/.110          |              | DIM. E (REF.)              | (2.79)/.110          |              |
| FINISH                     | TIN                  |              | FINISH                     | TIN                  |              | FINISH                     | 15 GOLD              |              |
| CONNECTOR END PLATING      | TIN                  |              | CONNECTOR END PLATING      | TIN                  |              | CONNECTOR END PLATING      | GOLD                 |              |
| DIM. D (MEASURE PT.)       | (2.54)/.100          |              | DIM. D (MEASURE PT.)       | (4.57)/.180          |              | DIM. D (MEASURE PT.)       | (2.54)/.100          |              |
| P.C. BOARD END PLATING     | TIN                  |              | P.C. BOARD END PLATING     | TIN                  |              | P.C. BOARD END PLATING     | TIN                  |              |
| DIM. F (MEASURE PT.)       | (1.27)/.050          |              | DIM. F (MEASURE PT.)       | (1.27)/.050          |              | DIM. F (MEASURE PT.)       | (1.27)/.050          |              |
| PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              | PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              | PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              |
| CKTS                       | EDP NUMBER           | ENG. NUMBER  | CKTS                       | EDP NUMBER           | ENG. NUMBER  | CKTS                       | EDP NUMBER           | ENG. NUMBER  |
| 04                         | 10-88-3041           | A-70216-0079 | 04                         | 10-88-3042           | A-70216-0118 | 04                         | 10-89-4042           | A-70216-0235 |
| 06                         | 10-88-3061           | A-70216-0080 | 06                         | 10-88-3062           | A-70216-0119 | 06                         | 10-89-4062           | A-70216-0236 |
| 08                         | 10-88-3081           | A-70216-0081 | 08                         | 10-88-3082           | A-70216-0120 | 08                         | 10-89-4082           | A-70216-0237 |
| 10                         | 10-88-3101           | A-70216-0082 | 10                         | 10-88-3102           | A-70216-0121 | 10                         | 10-89-4102           | A-70216-0238 |
| 12                         | 10-88-3121           | A-70216-0083 | 12                         | 10-88-3122           | A-70216-0122 | 12                         | 10-89-4122           | A-70216-0239 |
| 14                         | 10-88-3141           | A-70216-0084 | 14                         | 10-88-3142           | A-70216-0123 | 14                         | 10-89-4142           | A-70216-0240 |
| 16                         | 10-88-3161           | A-70216-0085 | 16                         | 10-88-3162           | A-70216-0124 | 16                         | 10-89-4162           | A-70216-0241 |
| 18                         | 10-88-3181           | A-70216-0086 | 18                         | 10-88-3182           | A-70216-0125 | 18                         | 10-89-4182           | A-70216-0242 |
| 20                         | 10-88-3201           | A-70216-0087 | 20                         | 10-88-3202           | A-70216-0126 | 20                         | 10-89-4202           | A-70216-0243 |
| 22                         | 10-88-3221           | A-70216-0088 | 22                         | 10-88-3222           | A-70216-0127 | 22                         | 10-89-4222           | A-70216-0244 |
| 24                         | 10-88-3241           | A-70216-0089 | 24                         | 10-88-3242           | A-70216-0128 | 24                         | 10-89-4242           | A-70216-0245 |
| 26                         | 10-88-3261           | A-70216-0090 | 26                         | 10-88-3262           | A-70216-0129 | 26                         | 10-89-4262           | A-70216-0246 |
| 28                         | 10-88-3281           | A-70216-0091 | 28                         | 10-88-3282           | A-70216-0130 | 28                         | 10-89-4282           | A-70216-0247 |
| 30                         | 10-88-3301           | A-70216-0092 | 30                         | 10-88-3302           | A-70216-0131 | 30                         | 10-89-4302           | A-70216-0248 |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |

|                                                    |                                   |                                                                                                   |                                        |                                          |                                      |
|----------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------|--------------------------------------|
| REV:<br><br><b>A1</b>                              | <u>ECR/ECN INFORMATION</u>        | <u>TITLE:</u><br><br>RT. ANG. WAFER ASS'Y<br>2.54/.100 GRID, DUAL ROW<br>BREAKAWAY 0.64/.025 PINS |                                        |                                          | <u>SHEET No.</u><br><br><b>- 2 -</b> |
|                                                    | <u>EC No:</u> <b>UCP2007-1509</b> |                                                                                                   |                                        |                                          |                                      |
|                                                    | <u>DATE:</u> <b>2006-12-18</b>    |                                                                                                   |                                        |                                          |                                      |
| <u>DOCUMENT NUMBER:</u><br><br><b>SD-70216-001</b> |                                   | <u>CREATED / REVISED BY:</u><br><br><b>PRIDDER</b>                                                | <u>CHECKED BY:</u><br><br><b>ADERR</b> | <u>APPROVED BY:</u><br><br><b>FSMITH</b> |                                      |

| ENG. NO: A-70216-0274/0287 |                      |              | ENG. NO: A-70216-0391/0404 |                      |              | ENG. NO: A-70216-0430/0443 |                      |              |
|----------------------------|----------------------|--------------|----------------------------|----------------------|--------------|----------------------------|----------------------|--------------|
| DIM. C                     | (8.13)/.320          |              | DIM. C                     | (6.10)/.240          |              | DIM. C                     | (8.13)/.320          |              |
| DIM. E (REF.)              | (2.79)/.110          |              | DIM. E (REF.)              | (2.79)/.110          |              | DIM. E (REF.)              | (2.79)/.110          |              |
| FINISH                     | 15 GOLD              |              | FINISH                     | 30 GOLD              |              | FINISH                     | 30 GOLD              |              |
| CONNECTOR END PLATING      | GOLD                 |              | CONNECTOR END PLATING      | GOLD                 |              | CONNECTOR END PLATING      | GOLD                 |              |
| DIM. D (MEASURE PT.)       | (4.57)/.180          |              | DIM. D (MEASURE PT.)       | (2.54)/.100          |              | DIM. D (MEASURE PT.)       | (4.57)/.180          |              |
| P.C. BOARD END PLATING     | TIN                  |              | P.C. BOARD END PLATING     | TIN                  |              | P.C. BOARD END PLATING     | TIN                  |              |
| DIM. F (MEASURE PT.)       | (1.27)/.050          |              | DIM. F (MEASURE PT.)       | (1.27)/.050          |              | DIM. F (MEASURE PT.)       | (1.27)/.050          |              |
| PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              | PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              | PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              |
| CKTS                       | EDP NUMBER           | ENG. NUMBER  | CKTS                       | EDP NUMBER           | ENG. NUMBER  | CKTS                       | EDP NUMBER           | ENG. NUMBER  |
| 04                         | 10-89-4043           | A-70216-0274 | 04                         | 10-89-4046           | A-70216-0391 | 04                         | 10-89-4047           | A-70216-0430 |
| 06                         | 10-89-4063           | A-70216-0275 | 06                         | 10-89-4066           | A-70216-0392 | 06                         | 10-89-4067           | A-70216-0431 |
| 08                         | 10-89-4083           | A-70216-0276 | 08                         | 10-89-4086           | A-70216-0393 | 08                         | 10-89-4087           | A-70216-0432 |
| 10                         | 10-89-4103           | A-70216-0277 | 10                         | 10-89-4106           | A-70216-0394 | 10                         | 10-89-4107           | A-70216-0433 |
| 12                         | 10-89-4123           | A-70216-0278 | 12                         | 10-89-4126           | A-70216-0395 | 12                         | 10-89-4127           | A-70216-0434 |
| 14                         | 10-89-4143           | A-70216-0279 | 14                         | 10-89-4146           | A-70216-0396 | 14                         | 10-89-4147           | A-70216-0435 |
| 16                         | 10-89-4163           | A-70216-0280 | 16                         | 10-89-4166           | A-70216-0397 | 16                         | 10-89-4167           | A-70216-0436 |
| 18                         | 10-89-4183           | A-70216-0281 | 18                         | 10-89-4186           | A-70216-0398 | 18                         | 10-89-4187           | A-70216-0437 |
| 20                         | 10-89-4203           | A-70216-0282 | 20                         | 10-89-4206           | A-70216-0399 | 20                         | 10-89-4207           | A-70216-0438 |
| 22                         | 10-89-4223           | A-70216-0283 | 22                         | 10-89-4226           | A-70216-0400 | 22                         | 10-89-4227           | A-70216-0439 |
| 24                         | 10-89-4243           | A-70216-0284 | 24                         | 10-89-4246           | A-70216-0401 | 24                         | 10-89-4247           | A-70216-0440 |
| 26                         | 10-89-4263           | A-70216-0285 | 26                         | 10-89-4266           | A-70216-0402 | 26                         | 10-89-4267           | A-70216-0441 |
| 28                         | 10-89-4283           | A-70216-0286 | 28                         | 10-89-4286           | A-70216-0403 | 28                         | 10-89-4287           | A-70216-0442 |
| 30                         | 10-89-4303           | A-70216-0287 | 30                         | 10-89-4306           | A-70216-0404 | 30                         | 10-89-4307           | A-70216-0443 |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |
|                            |                      |              |                            |                      |              |                            |                      |              |

|                                                    |                                   |                                                                                                   |                                        |                                          |                                      |
|----------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------|--------------------------------------|
| REV:<br><br><b>A1</b>                              | <u>ECR/ECN INFORMATION</u>        | <u>TITLE:</u><br><br>RT. ANG. WAFER ASS'Y<br>2.54/.100 GRID, DUAL ROW<br>BREAKAWAY 0.64/.025 PINS |                                        |                                          | <u>SHEET No.</u><br><br><b>- 3 -</b> |
|                                                    | <u>EC No:</u> <b>UCP2007-1509</b> |                                                                                                   |                                        |                                          |                                      |
|                                                    | <u>DATE:</u> <b>2006-12-18</b>    |                                                                                                   |                                        |                                          |                                      |
| <u>DOCUMENT NUMBER:</u><br><br><b>SD-70216-001</b> |                                   | <u>CREATED / REVISED BY:</u><br><br><b>PRIDDER</b>                                                | <u>CHECKED BY:</u><br><br><b>ADERR</b> | <u>APPROVED BY:</u><br><br><b>FSMITH</b> |                                      |

| ENG. NO: A-70216-0313/0326 |                      |              | ENG. NO: A-70216-      |            |             | ENG. NO: A-70216-      |            |             |
|----------------------------|----------------------|--------------|------------------------|------------|-------------|------------------------|------------|-------------|
| DIM. C                     | (6.10)/.240          |              | DIM. C                 |            |             | DIM. C                 |            |             |
| DIM. E (REF.)              | (4.19)/.165          |              | DIM. E (REF.)          |            |             | DIM. E (REF.)          |            |             |
| FINISH                     | 15 GOLD              |              | FINISH                 |            |             | FINISH                 |            |             |
| CONNECTOR END PLATING      | GOLD                 |              | CONNECTOR END PLATING  |            |             | CONNECTOR END PLATING  |            |             |
| DIM. D (MEASURE PT.)       | (4.57)/.180          |              | DIM. D (MEASURE PT.)   |            |             | DIM. D (MEASURE PT.)   |            |             |
| P.C. BOARD END PLATING     | TIN                  |              | P.C. BOARD END PLATING |            |             | P.C. BOARD END PLATING |            |             |
| DIM. F (MEASURE PT.)       | (1.27)/.050          |              | DIM. F (MEASURE PT.)   |            |             | DIM. F (MEASURE PT.)   |            |             |
| PACKAGING                  | SEE NOTE 4 ON SHT. 1 |              | PACKAGING              |            |             | PACKAGING              |            |             |
| CKTS                       | EDP NUMBER           | ENG. NUMBER  | CKTS                   | EDP NUMBER | ENG. NUMBER | CKTS                   | EDP NUMBER | ENG. NUMBER |
| 04                         |                      |              | 04                     |            |             | 04                     |            |             |
| 06                         |                      |              | 06                     |            |             | 06                     |            |             |
| 08                         |                      |              | 08                     |            |             | 08                     |            |             |
| 10                         |                      |              | 10                     |            |             | 10                     |            |             |
| 12                         |                      |              | 12                     |            |             | 12                     |            |             |
| 14                         |                      |              | 14                     |            |             | 14                     |            |             |
| 16                         |                      |              | 16                     |            |             | 16                     |            |             |
| 18                         |                      |              | 18                     |            |             | 18                     |            |             |
| 20                         |                      |              | 20                     |            |             | 20                     |            |             |
| 22                         |                      |              | 22                     |            |             | 22                     |            |             |
| 24                         |                      |              | 24                     |            |             | 24                     |            |             |
| 26                         |                      |              | 26                     |            |             | 26                     |            |             |
| 28                         |                      |              | 28                     |            |             | 28                     |            |             |
| 30                         | 50-34-8535           | A-70216-0326 | 30                     |            |             | 30                     |            |             |
|                            |                      |              |                        |            |             |                        |            |             |
|                            |                      |              |                        |            |             |                        |            |             |
|                            |                      |              |                        |            |             |                        |            |             |
|                            |                      |              |                        |            |             |                        |            |             |

|                                                    |                                   |                                                                                                   |                                        |                                          |                                      |
|----------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------|--------------------------------------|
| REV:<br><br><b>A1</b>                              | <u>ECR/ECN INFORMATION</u>        | <u>TITLE:</u><br><br>RT. ANG. WAFER ASS'Y<br>2.54/.100 GRID, DUAL ROW<br>BREAKAWAY 0.64/.025 PINS |                                        |                                          | <u>SHEET No.</u><br><br><b>- 4 -</b> |
|                                                    | <u>EC No:</u> <b>UCP2007-1509</b> |                                                                                                   |                                        |                                          |                                      |
|                                                    | <u>DATE:</u> <b>2006-12-18</b>    |                                                                                                   |                                        |                                          |                                      |
| <u>DOCUMENT NUMBER:</u><br><br><b>SD-70216-001</b> |                                   | <u>CREATED / REVISED BY:</u><br><br><b>PRIDDER</b>                                                | <u>CHECKED BY:</u><br><br><b>ADERR</b> | <u>APPROVED BY:</u><br><br><b>FSMITH</b> |                                      |