

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0191600083
Status: Active
Description: CLOSED END CONNECTOR TAPED (NC-1610T)

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-19160-005 \(PDF\)](#)

Agency Certification

CSA LR18689
UL E32244

General

Product Family Splices
Series 19160
Crimp Quality Equipment Yes
Mil-Spec N/A
Product Name Closed-End Insulated

Physical

Barrel Type Closed
Flammability 94V-0
Insulation Nylon (PA)
Packaging Type Adhesive Tape on Reel
Temperature Range - Operating 105°C
Wire Insulation Diameter 9.6mm (.38") max
Wire Size AWG 10, 12, 14, 16
Wire Size mm² 1.30 - 5.00

Electrical


Voltage - Maximum 600V

Material Info

Old Part Number NC-1610T

Reference - Drawing Numbers

Product Specification PS-19160-005
Sales Drawing SD-19160-001



EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

**Halogen-Free
Status**

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

19160Series

Application Tooling | FAQ

*Tooling specifications and manuals are
found by selecting the products below.
Crimp Height Specifications are then
contained in the Application Tooling
Specification document.*

Global

Description	Product #
Mini-Mac™ Mylar	0638858400
Tape Applicator	
Crimp Dies for	0192880236
MTA-100 Tape	
Applicator used in	
3BF Press, MTA-105	
Tape Applicator used	
in TM-2000™ Press,	
and ATP-301 Air	
Crimping Press for	
Mylar Tape Mounted	
Terminals	

This document was generated on 06/08/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

