


SAW Bandpass Filter 260901B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40℃ ~ 85℃
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration

1	Input
5	Output
2, 4	Ground
3, 6	Case ground

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260901B	
		Rev. Date	2006-11-20	
		Rev.	NM6024-CS02	1/10

SAW Bandpass Filter 260901B



3. Specifications

Fo = 240.0 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	240	-
Insertion Loss	dB	-	26.5	30.0
1dB Bandwidth	MHz	-	9.2	-
3dB Bandwidth	MHz	9.4	9.52	-
40dB Bandwidth	MHz	-	10.83	11
Amplitude Ripple (Fo +/- 4.375 MHz)	dB	-	0.55	1
Group Delay Variation (Fo +/- 4.375 MHz)	nsec	-	50	100
Absolute Delay	usec	-	3.04	-
Ultimate Rejection	dB	50	53	-
Temperature Coefficient of Frequency	ppm/°C	-	-23	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260901B	
		Rev. Date	2006-11-20	
		Rev.	NM6024-CS02	2/10

SAW Bandpass Filter 260901B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$L1 = 3.3\text{nH}$, $L2 = 3.3\text{nH}$

$C1 = 22\text{pF}$, $C2 = 22\text{pF}$

5. Marking Configuration

ITF¹⁾ 06A001²⁾
260901B³⁾

1) Manufacturer name

2) Lot Number



3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260901B	
		Rev. Date	2006-11-20	
		Rev.	NM6024-CS02	3/10

SAW Bandpass Filter 260901B







6. Typical Performance (at +25℃)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260901B	
		Rev. Date	2006-11-20	
		Rev.	NM6024-CS02	4/10

SAW Bandpass Filter 260901B



ITF Co., Ltd.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyeonggi-Do, Korea 421-809

Part No.

260901B

Rev. Date

2006-11-20

Rev.

NM6024-CS02

5/10