

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0050291758](#)
Status: **Active**
Overview: [standard_062](#)
Description: 1.57mm (.062") Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, With Pre-bent Mounting Ears

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)

[Product Specification PS-02-06 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	Crimp Housings
Series	1625
Comments	Polarized to Mating Part
MolexKits	Yes
Overview	standard_062
Product Name	Standard .062"

Physical

Breakaway	No
Circuits (maximum)	4
Circuits Detail	1x4
Color - Resin	Natural
Flammability	94V-2
Gender	Receptacle
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	Yes
Pitch - Mating Interface (in)	0.145 In
Pitch - Mating Interface (mm)	3.68 mm
Pitch - Term. Interface (in)	0.145 In
Pitch - Term. Interface (mm)	3.96 mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-40°C to +105°C

Electrical


Current - Maximum per Contact	5A
-------------------------------	----

Material Info

Old Part Number	1625-4R2
-----------------	----------

Reference - Drawing Numbers

Packaging Specification	PK-1625-001, PK-1625-003
Product Specification	PS-02-06
Sales Drawing	SD-1625-4*
Test Summary	TS-1625-001



Series

image - Reference only

EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

**Contains SVHC: No
Halogen-Free
Status**

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

[1625Series](#)

Mates With





[1625 Plug](#)

Use With





Female Crimp Terminals [1561Link:4559](#)
, [4529](#) , [2190](#) , [2189](#) , [1787](#) , [1855](#) . Male
Crimp Terminals [1560](#) , [1786](#) , [1854](#). [1778](#)
Male PC Tail Terminals. [1779](#) Female PC
Tail Terminals

This document was generated on 06/08/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



RECEPTACLE HOUSING



PLUG HOUSING

2	N
1	N
SHT.	REV.

UPDATE REV. LEVEL
 EC NO: UCP2008-2649
 DRWN: JELHAG 2008/05/02
 CHKD: JBEL 2008/07/21
 APPR: FSM/TH 2008/08/04
 REV N

QUALITY SYMBOLS
 ▼=0
 ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .010	± .004
3 PLACES	± .010	± .004
2 PLACES	± .025	± .010
1 PLACE	± .036	± .014
ANGULAR ± 1 °		

 DRAFT WHERE APPLICABLE
 MUST REMAIN
 WITHIN DIMENSIONS

DIMENSION STYLE
 IN/MM
 DRAWN BY DATE
 GC 8/17/92
 CHECKED BY DATE
 RW 8/17/92
 APPROVED BY DATE
 RAS 8/17/92
 MATERIAL NO.
SEE CHART

SCALE

DESIGN UNITS
 INCH
THIRD ANGLE PROJECTION
TITLE
 PLUG & RECEPTACLE
 HOUSINGS, 4 CIRCUIT,
 .062 DIA., .145 CENTERS
MOLEX INCORPORATED
 DOCUMENT NO. SD-1625-4*
 SHEET NO. 1 OF 2

