

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0191930184

Status:

Active

Description:

VersaKrimp™ Ring Tongue Terminal for 8 AWG Wire

Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR18689
UL	E32244

General

Product Family	Ring and Spade Terminals
Series	19193
Crimp Quality Equipment	Yes
Mil-Spec	N/A
Product Name	VersaKrimp™
Type	Ring

Physical

Barrel Type	Closed - Brazed
Insulation	None
Material - Plating Mating	Tin
Packaging Type	Bag
Stud Size	3/8" (M9)
Termination Interface: Style	Crimp or Compression
Wire Size AWG	8
Wire Size mm²	0.60 - 10.5

Material Info

Old Part Number	D-352-38
-----------------	----------

Reference - Drawing Numbers

Sales Drawing	SD-19193-036
---------------	--------------



image - Reference only

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

19193Series

Application Tooling | [FAQ](#)


Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global


Description	Product #
Putt Pump Dieless Head System	0192860065
Manual Putt Pump Hydraulic System, Die set required	0192860117
Die Set (large) for the HHLS Hydralic Crimper	0192900001
Hand Crimp Tool	0640013900
Crimp Head for the AT-200™ Pneumatic Hand Tool	0640074400

This document was generated on 04/12/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



	10	9	8	7	6	5	4	3	2	19193
	MATERIAL NUMBER	ENGINEERING NUMBER	STUD SIZE	C ±.005/±0.13	PACKAGING					
F	191930178	D-352-10	10	.198/5.03	LOOSE PIECE					
	191930182	D-352-14	1/4	.256/6.50						
	191930185	D-352-56	5/16	.328/8.33						
	191930184	D-352-38	3/8	.390/9.91						
	191930187	D-352-76	7/16	.453/11.51						
E	191930179	D-352-12	1/2	.515/13.08	TAPE MOUNTED					
	191930186	D-352-58	5/8	.656/16.66						
	191930189	D-352-76T	7/16	.453/11.51						
	191930181	D-352-12T	1/2	.515/13.08						



NOTES: 1. MATERIAL: COPPER .050/1.27 THK (REF). PLATING: ELECTROPLATE TIN 2. ALL DIMENSIONS IN INCHES/(MM). 3. BRAZED SEAM. 4. TERMINAL INDICATED MUST MEET MS/AS-20659 TYPE 2 REQUIREMENTS.					TYPED ON OD EC NO: ETC2005-0145 DRAWN BY: BENDERLE 2005/02/16 CHKD: JPAWLICK 2005/02/16 APPR: JPAWLICK 2005/02/16		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ± ---°		DIMENSION STYLE IN/MM DRAWN BY: BENDERLE 2005/02/03 CHECKED BY: R DEROSS 2005/02/03 APPROVED BY: R DEROSS 2005/02/03		SCALE 1:1 DESIGN UNITS INCH		THIRD ANGLE PROJECTION	
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-19193-036		SHEET NO. 1 OF 1	
											SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			