

[All Audio Products](#) [Star PDF Library](#) [Request Info](#) [Request Samples](#)



Non-Washable

Reflow

MNT Series

Miniature Audio Transducer
Surface Mount Type
(External Drive Circuitry)

Features/Highlights

- Small Slim Size
- Designed for Reflow Process
- Tape & Reel Packaging for Auto-Mounting
- Top Sound Port

MNT-03A


Applications

- Wireless Communications
- Pagers
- Hand Held Devices


Product Specifications

Model Name	MNT-03A
Rated Voltage (V)	3.6
Mean Current Consumption (mA)	Max. 90 (TYP85)
Coil Resistance (ohm)	16 ± 3
Sound Output at 10 cm (dB)	Min. 85 (TYP94)
Rated Frequency (Hz)	2,670
Operating Voltage (V)	Max. 4.5
Operating Temperature (°C)	-30 to +70
Storage Temperature (°C)	-40 to +85
Weight (g)	1

Dimensions



Frequency Response



[Applications](#) | [Search](#) | [News](#) | [Events](#) | [About Star](#) | [Contact](#) | [Site Map](#) | [Home](#)

© 2003 Star Micronics, Inc. All rights reserved. Reproduction in whole or in part without permission is prohibited.

[Privacy Statement](#) | [Terms of Use](#)