


320 x 240 Dots Color LCD



FEATURES

- Type: Color
- Display format: 320 x 240 dots (RGB)
- Built-in controller: None
- Duty cycle: 1/240
- Built-in white backlight (CCFL)
- Color STN LCD type
- 8-bit data bus
- + 3 V to + 5 V power supply
- Compliant to RoHS directive 2002/95/EC


RoHS
COMPLIANT

MECHANICAL DATA		
ITEM	STANDARD VALUE	UNIT
Module Dimension	154.6 x 114.8	mm
Viewing Area	118.18 x 89.38	
Dot Size	0.09 x 0.33	
Dot Pitch	0.12 x 0.36	
Mounting Hole	148.6 x 106.8	
Character Size	N/a	

ABSOLUTE MAXIMUM RATINGS					
ITEM	SYMBOL	STANDARD VALUE			UNIT
		MIN.	TYP.	MAX.	
Power Supply	V _{DD} to V _{SS}	2.7	3.0	3.3	V
		4.7	5.0	5.3	
Input Voltage	V _I	0.8 V _{DD}	-	V _{DD}	

Note

- $V_{SS} = 0$ V, $V_{DD} = 5.0$ V

ELECTRICAL CHARACTERISTICS						
ITEM	SYMBOL	CONDITION	STANDARD VALUE			UNIT
			MIN.	TYP.	MAX.	
Input Voltage	V_{DD}	L level	0.8 V_{DD}	-	V_{DD}	V
	V_{IO}	H level	V_{SS}	-	0.2 V_{DD}	
Supply Current	I_{DD}	$V_{DD} = 5$ V	-	-	-	mA
Recommended LC Driving Voltage for Normal Temperature Version Module	V_{EE} to V_{SS}	0 °C	-	-	-	V
		25 °C	-	26.2	-	
		50 °C	-	-	-	
Power Consumption	-	$V_{DD} = 5$ V, $V_{EE} = 26.2$ V	-	2.0	-	mA


OPTIONS									
PROCESS COLOR						BACKLIGHT			
TN	STN Gray	STN Yellow	STN Blue	FSTN B&W	STN Color	None	LED	EL	CCFL
					x				x

For detailed information, please see the "Product Numbering System" document.

INTERFACE PIN FUNCTION

PIN NO.	SYMBOL	FUNCTION
1	FRM	Scan start-up signal
2	LOAD	Data latch
3	CP	Data shift
4	DSIP	Display enable signal
5	V _{DD}	Power supply for logic
6	V _{SS}	Ground
7	V _{EE}	Power supply for LCD
8	DB7	Display data bus
9	DB6	Display data bus
10	DB5	Display data bus
11	DB4	Display data bus
12	DB3	Display data bus
13	DB2	Display data bus
14	DB1	Display data bus
15	DB0	Display data bus

DIMENSIONS in millimeters





Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk and agree to fully indemnify and hold Vishay and its distributors harmless from and against any and all claims, liabilities, expenses and damages arising or resulting in connection with such use or sale, including attorneys fees, even if such claim alleges that Vishay or its distributor was negligent regarding the design or manufacture of the part. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.