



Suitable for use in all areas where low energy impact (EN 166 1F) safety eyewear is mandatory or recommended.

Approvals: BS EN 166 1F
CE 0194



Special Features

- ♦ durable propionate frame
- ♦ clear side shields, forming an integral part of the side arms
- ♦ wrap-around style offers maximum protection
- ♦ two sizes available

Lenses

The lenses are made from carbo glass UV400 polycarbonate - a high impact, scratch-resistant material, which absorbs UVA and UVB radiation. Available in clear and smoke.

Frame Colours : Smoke grey, brown

Weight : 33 grams (54mm), 36 grams (57mm)

Recommended Accessories

Bollé slip-in spectacle case with scratch resistant lining
Bollé thin 24" braided neck cord

bolle
SAFETY

TECHNICAL FILE REF No B- CE - 19

BOLLE (UK) LTD

PRODUCT TECHNICAL DATA SHEET

PRODUCT CODE: BS - 0041G (57 mm lens) **1703-5240**
PRODUCT DESCRIPTION: MODEL 504 SPECTACLE
MANUFACTURED BY: BOLLE FRANCE
MANUFACTURER'S CODE: 12530263
APPROVALS FROM: BRITISH STANDARDS INSTITUTION
STANDARD NO: BS 2092 GRADE: 2
REPORT NO: 105225
DATE: 04 12 84

MATERIALS

THE ABOVE PRODUCT IS MADE FROM THE FOLLOWING MATERIALS:

LENSES: 1. Material POLYCARBONATE
2. Thickness 2.1 mm
3. Surface treatment ANTI SCRATCH
4. Spherical refractive power -0.03
5. Astigmatic refractive power 0.02
6. Prismatic refractive power < 0.12

FRAME: PROPIONATE

HINGES: PROPIONATE

HEADBAND: NOT APPLICABLE

SHELL: NOT APPLICABLE

HEADHARNES: NOT APPLICABLE


OTHERS: NONE

CLEANING INSTRUCTIONS: SEE ATTACHED BROCHURE

MAINTENANCE INFORMATION: SEE ATTACHED BROCHURE

PACKAGING: ENCLOSED IN PLASTIC BAG WITH BROCHURE

PACKAGING SIZES: BOX OF 10



Technical documentation
according to Annex III of Council Directive 89/686/EEC


This technical documentation contains the essential requirements according to Annex II of the Council Directive 89/686/EEC as well as the means which

**ESTABLISSEMENT BOLLE
RUE TACON
BOITE POSTAL 139
01104 OYONNAX
FANCE**

has used for the product listed below in order to attain the conformity of this product with the relevant essential requirements.

Product description:

Type of product	EYE PROTECTOR
Model	504 SPECTACLE 57 mm
Material	PROPIONATE FRAME POLYCARBONATE LENS
Thickness	2.1 mm
Surface power	6.5
Colour	CLEAR LENS
Shade number	NOT APPLICABLE
Surface treatment	ANT SCRATCH (CARBOGLASS) REGISTERED NAME
Optical Class	ONE



**MODEL 504 (57mm)
(Anti-scratch) Lens**

