

re from Telemecanique

Old	Metal bezel	New	Old	Double insulated bezel	New
Illuminated pushbutton new LED*			Selector switch		
XB2BW3165	24v direct WHITE	XB4BW31B5	ZA2BD2	2 position stay put	ZB5AD2
XB2BW3365	24v direct GREEN	XB4BW33B5	ZA2BD3	3 position stay put	ZB5AD3
XB2BW3465	24v direct RED	XB4BW34B5	ZA2BD5	3 position spring return	ZB5AD3
XB2BW3565	24v direct YELLOW	XB4BW35B5	Key switch		
XB2BW3665	24v direct BLUE	XB4BW36B5	ZA2BG2	2 position stay put	ZB5AG2
XB2BW3165	110v direct WHITE	XB4BW31G5	ZA2BG4	2 position stay put	ZB5AG4
XB2BW3365	110v direct GREEN	XB4BW33G5	ZA2BG3	3 position spring return	ZB5AG3
XB2BW3465	110v direct RED	XB4BW34G5	Mushroom head		
XB2BW3565	110v direct YELLOW	XB4BW35G5	ZA2BS54	40mm RED turn / release	ZB5AS54
XB2BW3665	110v direct BLUE	XB4BW36G5	Emergency stop		
XB2BW3175	240v direct WHITE	XB4BW31M5	ZA2BS844	40mm RED turn / release	ZB5AS844
XB2BW3375	240v direct GREEN	XB4BW33M5	ZA2BS944	40mm RED key / release	ZB4BS944
XB2BW3475	240v direct RED	XB4BW34M5	Pilot lights new LED*		
XB2BW3575	240v direct YELLOW	XB4BW35M5	XA2BV63	24v direct GREEN	XB5AVB3
XB2BW3675	240v direct BLUE	XB4BW36M5	XA2BV64	24v direct RED	XB5AVB4
			XA2BV63	110v direct GREEN	XB5AVG3
			XA2BV64	110v direct RED	XB5AVG4

Double insulated bezel Style 5

Old	Double insulated bezel	New	Control stations
Body assembly			
ZA2BZ101	Body/contact	ZB5AZ101	XALB102
ZA2BZ102	Body/contact	ZB5AZ102	XALB112
ZA2BZ105	Body/contact	ZB5AZ105	XALB213
Pushbutton head			XALB215
ZA2BA2	Flush BLACK	ZB5AA2	XALB134
ZA2BA3	Flush GREEN	ZB5AA3	XALB144
ZA2BA4	Flush RED	ZB5AA4	XALB222
ZA2BA5	Flush YELLOW	ZB5AA5	XALB324
ZA2BA6	Flush BLUE	ZB5AA6	XALJ174
			XALJ178
			XALJ188

* Unique Protected LED Technology.

Harmony style... Ø22

Metal bezel Style 4

Old	Metal bezel	New	Old	Metal bezel	New
Body assembly					
ZB2BZ101	Body/contact	N/O	ZB2BG3	3 position stay put	ZB4BG3
ZB2BZ102	Body/contact	N/C	ZB2BG5	3 position stay put	ZB4BG5
ZB2BZ103	Body/contact	2N/O	ZB2BG7	3 position spring return	ZB4BG7
ZB2BZ104	Body/contact	2N/C	ZB2BG8	3 position spring return	ZB4BG8
ZB2BZ105	Body/contact	N/O+N/C	Mushroom head		
ZB2BZ141	Body/contact	1N/O+2N/C	ZB2BC2	40mm BLACK spring return	ZB4BC2
ZB2BE101	Contact block	N/O	ZB2BC4	40mm RED spring return	ZB4BC4
ZB2BE102	Contact block	N/C	ZB2BR2	60mm BLACK spring return	ZB4BR2
Pushbutton head					
ZB2BA2	Flush BLACK	ZB4BA2	ZB2BR4	60mm RED spring return	ZB4BR4
ZB2BA3	Flush GREEN	ZB4BA3	ZB2BS54	40mm RED turn / release	ZB4BS54
ZB2BA4	Flush RED	ZB4BA4	Emergency stop		
ZB2BA5	Flush YELLOW	ZB4BA5	ZB2BS834	30mm RED turn / release	ZB4BS834
ZB2BA6	Flush BLUE	ZB4BA6	ZB2BS844	40mm RED turn / release	ZB4BS844
ZB2BP2	Booted BLACK	ZB4BP2	ZB2BS934	30mm RED key / release	ZB4BS934
ZB2BP3	Booted GREEN	ZB4BP3	ZB2BS944	40mm RED key / release	ZB4BS944
ZB2BP4	Booted RED	ZB4BP4	ZB2BS964	60mm RED key / release	ZB4BS964
ZB2BP5	Booted YELLOW	ZB4BP5	Pilot lights new LED*		
ZB2BP6	Booted BLUE	ZB4BP6	XB2BV61	24v direct WHITE	XB4BVB1
Selector switch					
ZB2BD2	2 position stay put	ZB4BD2	XB2BV63	24v direct GREEN	XB4BVB3
ZB2BD4	2 position spring return	ZB4BD4	XB2BV64	24v direct RED	XB4BVB4
ZB2BD3	3 position stay put	ZB4BD3	XB2BV65	24v direct YELLOW	XB4BVB5
ZB2BD5	3 position spring return	ZB4BD5	XB2BV66	24v direct BLUE	XB4BVB6
ZB2BD7	3 position spring return left	ZB4BD7	XB2BV61	110v direct WHITE	XB4BVG1
ZB2BD8	3 position spring return right	ZB4BD8	XB2BV63	110v direct GREEN	XB4BVG3
Key switch					
			XB2BV64	110v direct RED	XB4BVG4
			XB2BV65	110v direct YELLOW	XB4BVG5
			XB2BV66	110v direct BLUE	XB4BVG6
ZB2BG2	2 position stay put	ZB4BG2	XB2BV71	240v direct WHITE	XB4BVM1
ZB2BG4	2 position stay put	ZB4BG4	XB2BV73	240v direct GREEN	XB4BVM3
ZB2BG6	2 position spring return	ZB4BG6	XB2BV74	240v direct RED	XB4BVM4
			XB2BV75	240v direct YELLOW	XB4BVM5
			XB2BV76	240v direct BLUE	XB4BVM6

Listed above are the references for the top selling products. For further

*No other supplier can match
the new Harmony Style*

Software tools

- SIS labelling
- CD catalogue

Advanced packaging

- Product description on packaging
- Tear-off strips to open multipacks
- Single material for packaging – aiding recycling

3 point fixing with a single screw

- Automatic earthing for metal devices

Unique LED surface mount technology

- Built-in protection
- Available in white, green, red, yellow and blue
- Prices comparable to previous standard incandescent offer



Worldwide approval

- Available throughout 130 countries
- Conforms to international standards

range from Telemecanique

Harmony

New	
Style 4 Metal	XB4B
Style 5 Double insulated	XB5A

Assembly instructions

XB4B Mounting – 3 simple steps	
1 ■ Push in head 2 ■ Body/fixing collar clips onto head 3 ■ Self-locking ■ Vibration resistant ■ 3 point fixing ■ Automatic earthing ■ Single fixing screw	Contact blocks ■ Up to 9 clip-on contact blocks Dismounting ■ Back off screw ■ Lift lever to unclip collar

XB5A Mounting – 3 simple steps	
1 ■ Push in head 2 ■ Single locking ring 3 ■ Body/fixing collar clips onto head	Contact blocks ■ Up to 9 clip-on contact blocks Dismounting ■ Lift lever to unclip collar

Schneider Limited

Sir William Lyons Road, University of Warwick Science Park, Coventry CV4 7EZ
Tel 01203 416255 Fax 01203 417517

Internet address: <http://www.schneider.co.uk>

Telemecanique
New pushbutton range
equivalence chart

*What the unique Harmony
pushbutton range can offer you...*



Harmony
style...

A22

Merlin Gerin
Modicon
Square D
Telemecanique

This booklet provides equivalent
references for the main selling products,
from the old XB2B range to XB4B and
from the old XA2B range to XB5A.

1 Simplified selection, quotation and
design stages

2 Simplified product identification,
unpacking and waste recycling

3 Faster installation with secure
mounting*

4 Lower costs, increased reliability and
clearer signals

5 International acceptance in all markets
with local availability

* Patented design

Harmony the new pushbutton

Schneider
 **Electric**