# TEMPIL°, INC.

# **MATERIAL SAFETY DATA SHEET**

FAX: 908-757-9273

2901 Hamilton Blvd. South Plainfield, NJ 07080

PHONE: 908-757-8300

MSDS NO: TS - 300C - 330C DATE: June 10, 2000

EMERGENCY NO: 800-424-9300

## SECTION 1 MATERIAL IDENTIFICATION

PRODUCT NAME:	TEMPILSTIK 300°C/572°F,	310°C/590°F, 320°C/608°F, 330°C/626°F
GENERIC NAME OF	R FAMILY: Temperature Ind	icating Product
SHIPPING NAMES:	DOT: Non-regulated	IATA: Non-regulated

HAZARDOUS COMPONENTS OF MIXTURE	WEIGHT %	OSHA PEL (PPM)	ACGIH TLV (PPM)	CAS Number
Not applicable				

#### **SECTION 313 SUPPLIER NOTIFICATION**

This product contains the following toxic chemical (s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of CFR 372:

Chemical Name	%	CAS Number
Not applicable		

### **SECTION 2 PHYSICAL DATA**

BOILING POINT (°F): N.E.	SPECIFIC GRAVITY (H <sub>2</sub> O = 1): N.E.
VAPOR PRESSURE (mm Hg.): N.E.	PERCENT VOLATILE BY VOLUME (%): N.A.
VAPOR DENSITY (AIR =1): N.E.	EVAPORATION RATE (N-Butyl Acetate = 1) : N.A.
SOLUBILITY IN WATER: Negligible	VOLATILE ORGANIC COMPOUNDS (VOC) : N.A.
APPEARANCE AND ODOR: Crayon like solid stick	

### SECTION 3 FIRE AND EXPLOSION HAZARD DATA

FLASH POINT ( and Method): N.E.	FLAMMABLE LIMITS	LOWER	UPPER
		N.E.	N.E.

EXTINGUISHING MEDIA: Water, CO<sub>2</sub>, Dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

## **SECTION 4 - REACTIVITY HAZARD DATA**

□ STABILITY: Stable

CONDITIONS TO AVOID: Not applicable

Incompatibility	(Materials to Av	(oid) <sup>.</sup> Strong	oxidizing ag	ents or strong	mineral acids
moomputionity		voluj. Otiong	onaizing ug		minorar aoiao.

_ Hazardous Decomposition Products: Carbon monoxide, carbon dioxide						
HAZARDOUS	POLYM	ERIZATION: Will not occ	ur	CONDITIONS TO AVOID: Not applicable		
Description D						
Respiratory Pr	otection	(Specify Type): NIOSH a	pproved if v	rentilation is insufficient.		
_ Protective Glo	ves: Rub	ber	Eve Protec	tion: Safety glasses		
			<b>,</b>			
<u> </u>						
-						
VENTILATION TO       D       Local Exhaust       Mechanical(general): If local ventilation is insufficient         BE USED       D       D       D       D						
		ng & Equipment: Not nor				
Hygienic Work	Practice	s: Wash hands thorough				
				TH HAZARD DATA		
PRIMARY ROUTES  Inhalation  Skin Absorption OF ENTRY						
HEALTH						
HAZARDS	HAZARDS Chronic: Unknown					
Signs & Symptoms of Exposure: Skin irritation. Vapors may cause headache, dizziness, nausea.						
Target Organ Information: Unknown						
	FIRST A	AID PROCEDURES - See	ek medical	assistance for further treatment, observation and support if		
necessary.	Flush wit	h water for 15 minutes.		Skin Contact: Wash with soap and water		
		resh air. If breathing is di	ifficult	Ingestion: Obtain immediate medical attention.		
	obtain medical attention.					
	SE	CTION 7 - PRECAU	TIONS FO	OR SAFE HANDLING AND USE		

Steps to be taken if Material Is Spilled or Released: Sweep up and place in bag for waste disposal.

Waste Disposal Methods: Dispose of in accordance with all Federal, State and local laws.

Precaution to be taken in Handling & Storage: Store in cool, dry area. Avoid skin contact. Avoid breathing vapors.

Other Precautions and/or Special Hazards: Not applicable								
HMIS rating: 0= Minimal hazar	ď	1= Sli	ight ha	azard	2= Modera	ate ha	zard 3= Serious hazard	4= Severe hazard
	Heal	th:	1	Flamm	ability:	1	Reactivity: 0	

This information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.