

702 8234  
702 8246  
702 8258

702 8880  
702 8891  
702 8908

703 0113  
703 0125  
703 0137

# VALLANCE

Vallance, Mangers and Liquid Nails are Registered Trade Marks of Kalon Limited



Leeds 27 Trading Estate, Morley, Leeds LS27 0LL

Telephone:  
Sales & Customer Service:  
Technical Service:

0113 201 2000  
0113 201 2020  
0113 201 2060

Fax: 0113 201 2001  
E-Mail: vallance.sales@kalon.co.uk

## HEALTH AND SAFETY DATA SHEET

1. **GENERIC TYPE: ACETOXY SILICONE SEALANT,  
UNDER LABELS:**

SILBOND SILICONE /  
GLAZING SILICONE  
V1 ALL WEATHER GENERAL PURPOSE SILICONE

SANITARY SILICONE  
CONTRACTORS SILICONE

ISSUE : HSCOMBSIL/01 PAGE: 1 of 3 DATE: 05/11/97

2. **COMPOSITION/INFORMATION ON INGREDIENTS**

Substances presenting a health hazard within the meaning of the Chemicals (Hazard Information and Packaging for Supply) (Amendment) Regulations 1996

Name	Conc. Range	Symbol	R-Phrases
METHYLTRIACETOXSILIANE	<4.9%	-	-

3. **HAZARDS IDENTIFICATION**

Not classified as dangerous under Chemicals (Hazard Information and Packaging for Supply) (Amendment) Regulations 1996  
Product evolves acetic acid during cure which may cause slight irritation to eyes in confined spaces.

4. **FIRST AID MEASURES**

**Inhalation** : Over exposure will cause irritation to the respiratory system. Remove patient to fresh air. Seek medical advice.

**Ingestion**: Rinse mouth with water and give water to drink, if patient is conscious. Seek medical attention and show the container or label.

**Skin contact** : Remove bulk with paper towel and wash with warm soapy water or propriety hand cleaner. DO NOT USE SOLVENTS TO CLEAN SKIN. Prolonged contact may cause skin irritation. Remove all contaminated clothing.

**Eye contact** : Remove contact lenses. Flush eyes with water for 10 minutes. Seek medical attention if irritation persists.

5. **FIRE FIGHTING MEASURES**

**Extinguishing media** : Foam, carbon dioxide, powder or water spray. Do not use water jet.

**Hazardous decomposition products**: Carbon and silicon oxides are produced through combustion.

**Special protective equipment** ; Wear self contained breathing apparatus.

6. **ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : No special requirements.

**Environmental precautions** : No special requirements

**Methods for cleaning** : Collect material in containers for disposal. Wash area with detergent and hot water.

7. **HANDLING AND STORAGE**

**Usage precautions** : Do not eat, drink or smoke whilst using the product.

**Storage precautions** : Store between 5-30°C. No special requirements.

## MANGERS

## Liquid Nails

## VALLANCE

**GENERIC TYPE: ACETOXY SILICONE SEALANT**

**PAGE 2 of 3**

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering measures:**

**Exposure Limits:**

Substance	Occupational Exposure Limits				Notations
	8hr LTEL (1)		15 min STEL (2)		
	ppm	mgm <sup>3</sup>	ppm	mgm <sup>3</sup>	
Acetic Acid (during cure)	10(s)	-	15(s)	-	

- (1) Long-term exposure limit - 8 hour time weighted average  
(2) Short-term exposure limit/- 15 mins time weighted average  
(S) Occupational Exposure Standard (OES)

OEL's are taken from the current version of EH40, except those marked (R) or (A) which are assigned by the supplier of the substance.

**Personal protection:** Wear gloves and goggles. Use in well ventilated areas.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Viscous Paste
Colour	Various
Odour	Acetic acid
Viscosity	N/A
Specific Gravity	1.0 - 1.05
Flash point	> 100°C
Solubility in water	Insoluble

**10. STABILITY AND REACTIVITY**

**Stability :** Stable under recommended storage conditions.

**Conditions to avoid :** No special requirements.

**Hazardous decomposition products :** Carbon and silicon oxides are produced through combustion. See section 4 & 5.

**11. TOXICOLOGICAL INFORMATION**

No data available on preparation. No known irreversible toxicological effects.

**12. ECOLOGICAL INFORMATION**

No data available on preparation. Do not allow to enter water courses or drains or be deposited where it can effect ground or surface water.

**13. DISPOSAL CONSIDERATIONS**

Product should be disposed of as non hazardous waste in accordance with current local and national legislation.

**14. TRANSPORT INFORMATION**

**Transport Mode Details**

Domestic Road/Rail:	Non Hazardous
Sea:	Non Hazardous
Air:	Non Hazardous
International Road Rail:	Non Hazardous

15. REGULATORY INFORMATION

Not classified as being hazardous according to Chemicals (Hazard Information and Packaging for Supply) (Amendment) Regulations 1996 however, the following precautions should be observed.

- S2 Keep out of reach of children
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S28 After contact with skin wash immediately with plenty of soap and or a recognised skin cleaner. DO NOT USE SOLVENTS OR THINNERS
- S46 If swallowed, seek medical advice immediately and show this container or label.
- S51 Use only in well ventilated areas.

REFERENCE DOCUMENTS

Chemical (Hazard Information and Packaging for Supply ) ( Amendment)  
Regulations 1996  
Control of Pesticides Regulations 1968  
Control of Pollution (Special Waste) Regulations 1980  
Control of Pollution (Amendment) Act 1989  
Control of Substances Hazardous to Health Regulations 1988  
Environmental Protection Act 1990

16. GUIDANCE NOTES

The information contained in the Health and Safety Data Sheet is provided in accordance with the Chemicals (Hazard Information and Packaging for Supply ) ( Amendment) Regulations 1996. The product should not be used for purposes other than those identified without first referring to the supplier and obtaining written handling instructions. As the specific conditions of the use of the product are outside the suppliers control, the user is responsible for ensuring that the requirements of the relevant legislation are complied with. This information contained in the safety data sheet is based upon present knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of any technical performance or suitability for particular application.