

4

3




2

1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
DW			B	REVISED (ECR-09-002821)	11FEB09	B.W S.C

NOTES:

1. MATERIAL:
1.1 HOUSING: UL94V-0; COLOR: SEE TABLE.
△ : NY9T, THERMOPLASTIC, HIGH TEMP.
△ : PBT, THERMOPLASTIC.
- 1.2 CONTACTS: PHOSPHOR BRONZE
1.3 SHELL: SPCC
1.4 BOARDLOCK: BRASS
1.5 RIVET: BRASS
2. FINISH:
2.1 CONTACT:
GOLD PLATING ON CONTACT AREA,
100u" MIN. MATTE TIN PLATING ON SOLDERTAIL,
50u" MIN. NICKEL UNDERPLATED OVERALL.
2.2 BOARDLOCK:
100u" MIN. TIN PLATING
50u" MIN. NICKEL UNDERPLATED OVERALL.
2.3 SHELL: 50u" MIN. NICKEL PLATING OVERALL.
2.4 RIVET: NICKEL PLATING OVERALL.
3. RECOMMENDED PCB THICKNESS: 1.6mm
4. WAVE SOLDER CAPABLE TO 265°C
PER TE SPEC. 109-202, CONDITION B.



OBSOLETE	△	300U BLUE	3.20	TRAY	10μ"	RIVET, THREADED W/O SCREW	5-1734344-3
		300U BLUE	3.70	TRAY	30μ"	RIVET, THREADED W/O SCREW	2-1734344-4
		300U BLUE	3.20	TRAY	30μ"	RIVET, THREADED W/O SCREW	2-1734344-3
OBSOLETE		661C BLUE	2.67	TRAY	30μ"	RIVET, THREADED W/O SCREW	2-1734344-2
		661C BLUE	2.67	TRAY	G/F	W/FEMALE SCREWLOCKS (DETAIL Z)	1-1734344-2
		300U BLUE	3.20	TRAY	G/F	W/FEMALE SCREWLOCKS (DETAIL Z)	1-1734344-1
OBSOLETE	△	BLACK	2.67	TUBE	15μ"	W/FEMALE SCREWLOCKS (DETAIL Z)	1734344-5
		300U BLUE	3.20	TUBE	10μ"	RIVET, THREADED W/O SCREW	1734344-4
		300U BLUE	3.20	TRAY	10μ"	RIVET, THREADED W/O SCREW	1734344-3
		661C BLUE	2.67	TRAY	G/F	RIVET, THREADED W/O SCREW	1734344-2
		300U BLUE	3.20	TRAY	G/F	RIVET, THREADED W/O SCREW	1734344-1
	HSG RESIN	PANTONE COLOR	'L'	PACKAGING	GOLD PLATING	FASTENER OPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LEE 16JAN2006		Tyco Electronics Corporation Taipei, Taiwan											
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK S. HOU 16JAN2006		Tyco Electronics									
		APVD W.J. KE 16JAN2006		NAME											
		PRODUCT SPEC		RCPT ASM, SZ 1, 15 POSN, RT ANG, FRONT METAL, SHELL AMPLIMITE HD-22											
		108-57541													
		QUALIFICATION TEST REPORT													
		501-57623		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO					
MATERIAL		FINISH		WEIGHT 9.0g/PCS(W/ SCREW) 11.1g/PCS(W/O SCREW)		A3		00779		C-1734344		—			
SEE NOTE		SEE NOTE		CUSTOMER DRAWING						SCALE —		SHEET 1 OF 3		REV B	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

NOTES:

- 1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD
- 2. DIMENSION:
 - 2.1 TRAY: L=320, W=230, H=18.9
 - 2.2 SHIPPING CARTON: L=361, W=245, H=272
- 3. QUANTITY:
 - 3.1 PRIMARY PACKING: 100 PCS/TRAY
 - 3.2 SECONDARY PACKING: 10 TRAY/CARTON(1000PCS)
- 4. CARTON WEIGHT:
 - 4.1 W/O SCREWLOCK
 - NET WEIGHT: 8.24 Kg
 - GROSS WEIGHT: 9.24 Kg
 - 4.2 WITH SCREWLOCK
 - NET WEIGHT: 10.24 Kg
 - GROSS WEIGHT: 11.24 Kg

URETHANE CUSHION
(2 PLACES)

TAPE
(4 PLACES)

AIR CAP SHEET
(4 PLACES)

COVER


TRAY

LABEL

272 mm

361 mm

245 mm



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



Tyco Electronics

Tyco Electronics Corporation
Taipei, Taiwan

NAME

RCPT ASM, SZ 1, 15 POSN,
RT ANG, FRONT METAL, SHELL
AMPLIMITE HD-22

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734344

SCALE

SHEET

2 of 3

REV

B

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.



COPYRIGHT

-

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR






DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



NOTES:

- MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD
- DIMENSION:
 - 2.1 TRAY: L=560, W=17.8, H=27.4
 - 2.2 SHIPPING CARTON: L=600, W=245, H=195
- QUANTITY:
 - 3.1 PRIMARY PACKING: 17 PCS/TURE
 - 3.2 SECONDARY PACKING: 25 TUPE/BOX
 - 3.3 THIRD PACKING: 2 BOX/CARTON(850PCS)
- CARTON WEIGHT:
 - 4.1 W/O SCREWLOCK
NET WEIGHT: 8.24 Kg
GROSS WEIGHT: 9.24 Kg
 - 4.2 WITH SCREWLOCK
NET WEIGHT: 10 Kg
GROSS WEIGHT: 11 Kg

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



Tyco Electronics

Tyco Electronics Corporation
Taipei, Taiwan

NAME

RCPT ASM, SZ 1, 15 POSN,
RT ANG, FRONT METAL, SHELL
AMPLIMITE HD-22

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734344

SCALE

SHEET

3 of 3

REV

B

DIMENSIONS:
MM



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

- | | |
|--------|-----|
| 0 PLC | ± - |
| 1 PLC | ± - |
| 2 PLC | ± - |
| 3 PLC | ± - |
| 4 PLC | ± - |
| ANGLES | ± - |

MATERIAL

FINISH