

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0191930179

Status:

Active

Description:

VersaKrimp™ Ring Tongue Terminal for 8 AWG Wire

Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA

LR18689

UL

E32244

General

Product Family

Ring and Spade Terminals

Series

19193

Comments

Type I Noninsulated; Class 2

Crimp Quality Equipment

Yes

Mil-Spec

AS20659-142, MS20659-142

Product Name

VersaKrimp™

Type

Ring

Physical

Barrel Type

Closed - Brazed

Insulation

None

Material - Plating Mating

Tin

Packaging Type

Bag

Plating min: Mating (µin)

100

Plating min: Mating (µm)

2.5

Plating min: Termination (µin)

100

Plating min: Termination (µm)

2.5

Stud Size

1/2" (M12)

Termination Interface: Style

Crimp or Compression

Wire Size AWG

8

Wire Size mm²

0.60 - 10.5

Material Info

Old Part Number

D-352-12

Reference - Drawing Numbers

Sales Drawing

SD-19193-036



image - Reference only

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[19193Series](#)

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Putt Pump Dieless Head System	0192860065
Manual tool for Crimping non-insulated 8AWG thru 4/0 Terminals	0192940008
Manual Putt Pump Hydraulic System, Die set required	0192860117
Die Set (large) for the HHLS Hydraulic Crimper	0192900001
Hand Crimp Tool	0640013900

Crimp Head for the 0640074400
AT-200™ Pneumatic
Hand Tool

This document was generated on 04/14/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

